

1305 – 1090 West Georgia Street, Vancouver, BC, V6E 3V7
Phone: +1 604 685 9316 / Fax: +1 604 683 1585

NEWS RELEASE

August 17, 2021

Mawson Drills 3.6 metres at 7.4 g/t gold and 2,290 ppm cobalt at the Hut Prospect, Finland

Vancouver, Canada — **Mawson Gold Limited** ("Mawson") or (the "Company") (TSX:MAW) (Frankfurt:MXR) (**PINKSHEETS: MWSNF**) is pleased to announce drill results from the final 36 drill holes totaling 8,756.5 metres from the Company's 76 hole, 19,422 metre 2020/21 drill program at the Company's 100%-owned Rajapalot gold-cobalt project in Finland (Figure 1).

Highlights:

- **At the Hut prospect:**
 - **PAL0301** drilled **3.6 metres @ 7.4 g/t Au, 2,290 ppm Co, 9.4 g/t AuEq** from 207.7 metres;
 - **PAL0291** drilled **1.0 metre @ 11.2 g/t Au, 28 ppm Co, 11.2 g/t AuEq** from 106.9 metres and **14.2 metres @ 1.2 g/t Au, 353 ppm Co, 1.5 g/t AuEq** from 284.5 metres;
- **At the Rumajärvi prospect:**
 - **PAL0258** drilled **3.0 metres @ 8.3 g/t Au, 283 ppm Co, 8.6 g/t AuEq** from 66.9 metres
 - **PAL0267** drilled **27.5 metres @ 0.7 g/t Au, 443 ppm Co, 1.0 g/t AuEq** from 30.3 metres
- **At the South Palokas prospect:**
 - **PAL0308** drilled **22.3 metres @ 0.6 g/t Au, 751 ppm Co, 1.3 g/t AuEq** from 439.5 metres and **8.5 metres @ 3.1 g/t Au, 866 ppm Co, 3.9 g/t AuEq** from 492.6 metres;
- **At the Palokas prospect:**
 - **PAL0283** drilled **1.0 metre @ 8.2 g/t Au, 52 ppm Co, 8.3 g/t AuEq** from 222.8 metres;
 - **PAL0293** drilled **7.1 metres @ 1.7 g/t Au, 466 ppm Co, 2.1 g/t AuEq** from 260.2 metres and **13.8 metres @ 1.0 g/t Au, 899 ppm Co, 1.7 g/t AuEq** from 274.2 metres;
- **At Terry's Hammer prospect:**
 - **PAL0273** drilled **9.3 metres @ 1.5 g/t Au, 422 ppm Co, 1.9 g/t AuEq** from 14.6 metres

Mr. Hudson, Chairman and CEO, states "*A wealth of grade with good thickness from drill results extending from near surface to depth, contained within a 1.8-kilometre-long trend at Rajapalot, to complete our reporting for the 19.4 km 2021 drill program. Our 2021 drilling program has delivered more economic/grade width intersections than ever before, with the discovery of 2 new resource areas, and the extension of a further 4 more resource areas. With all results now received, we eagerly await the finalization of our next resource upgrade, due before the end of August.*"

Gold and cobalt assay results are reported here from the final 36 drill holes totaling 8,756.5 metres from the 2020/21 drill program (Figure 1). In total, since drilling commenced in September 2020, Mawson has drilled 76 drillholes for 19,422 metres. All holes released in this and earlier news releases on [Nov 10, 2020](#), [Nov 18, 2020](#), [Nov 25, 2020](#), [Dec 21, 2020](#), [Apr 12, 2021](#), [Jun 29, 2021](#), [Jul 13, 2021](#) and [Aug 03, 2021](#) are shown in Tables 2 and 3. Intersections are reported with a lower cut of 0.3 g/t AuEq over a two metre lower cut. No upper cut-off was applied. Higher-grade intersections use a 1.1 g/t AuEq lower cut over two metres. A resource upgrade at Rajapalot is scheduled during August 2021.

Technical and Environmental Background

Four diamond drill rigs from Kati Oy, Nivalan Timanttikairaus Oy and MK Core Drilling Oy all with water recirculation and drill cuttings collection systems are used in the drill program. Core diameter is NQ2 (50.7 mm). Core recoveries are excellent and average close to 100% in fresh rock. After photographing and logging in Mawson's Rovaniemi facilities, core intervals averaging 1 metre for mineralized samples and 2 metres for barren samples are cut in half at the Geological Survey of Finland (GTK) core facilities in Rovaniemi, Finland. The remaining half core is retained for verification and reference purposes. Analytical samples are transported by commercial transport

from site to the CRS Minlab Oy facility in Kempele, Finland. Samples were prepared and analyzed for gold using the PAL1000 technique which involves grinding the sample in steel pots with abrasive media in the presence of cyanide, followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (including cobalt) are pulped at CRS Minlab, then transported by air to the MSA labs in Vancouver, Canada and analyzed using four acid digest ICP-MS methods. The QA/QC program of Mawson consists of the systematic insertion of certified standards of known gold content, duplicate samples by quartering the core, and blanks within interpreted mineralized rock. In addition, CRS inserts blanks and standards into the analytical process.

Spot gold and cobalt prices have been used to calculate AuEq values according to the following:

- Average gold price US\$1,599 per oz
- Average cobalt price US\$19.93 per pound
- Resulting in gold equivalent formula of AuEq g/t = Au g/t + (Co ppm/1,170).

The host rocks to the gold and cobalt mineralization comprise sulphides (pyrrhotite > pyrite) with biotite-muscovite-chlorite schists and Mg-Fe amphibole-biotite-chlorite rocks. Veining and fracture fill minerals include pyrrhotite, magnetite and magnetite-pyrrhotite (+/- quartz, tourmaline). Retrograde chlorite after biotite, generations of secondary muscovite ("sericite") and vein-controlled chlorite +/- tourmaline and magnetite are also present. Preliminary hand-held XRF analysis confirms the presence of associated scheelite and molybdenite, the former visible under UV light as tiny veinlets and disseminations. The silicate mineral alteration assemblages associated with the gold are clearly post-metamorphic, reduced, and most likely driven by hydrothermal fluids from nearby granitoid intrusions. Chlorite and fine muscovite are regarded as the lowest temperature silicate minerals with gold, structurally controlled in apparent spatial association with quartz and/or K-feldspar veins. Altered rocks enclosing the mineralized package contain locally abundant talc and tourmaline.

All maps have been created within the KKJ3/Finland Uniform Coordinate System (EPSG:2393).

Tables 1–2 provide collar and assay data. Assuming a predominant stratabound control, the true thickness of the mineralized interval is interpreted to be approximately 90% of the sampled thickness. Table 3 gives detailed individual assays of all intervals reported in this press release. Intersections are reported with a lower cut of 0.3 g/t AuEq over 2 metre lower cut. No upper cut-off was applied, and higher-grade intersections use a 1.1 g/t AuEq lower cut over 2 metres.

NI 43-101 Technical Report: On [September 14, 2020](#), an updated resource estimation was completed by Rodney Webster of AMC of Melbourne, Australia, and Dr. Kurt Simon Forrester of Arn Perspective of Surrey, England. Each of Mr. Webster and Dr. Forrester are independent "qualified persons" as defined by NI 43-101. The NI 43-101 technical report is entitled "Rajapalot Property Mineral Resource Estimate NI 43-101 Technical Report" and dated September 14, 2020 (the "Updated Technical Report"). The Updated Technical Report may be found on the Company's website at www.mawsongold.com or under the Company's profile on SEDAR at www.sedar.com. Readers are encouraged to read the entire Updated Technical Report.

Qualified Person

Dr. Nick Cook (FAusIMM), Chief Geologist for the Company, is a qualified person as defined by National Instrument 43-101 – Standards of Disclosure or Mineral Projects and has prepared or reviewed the preparation of the scientific and technical information in this press release.

About Mawson Gold Limited (**TSX:MAW, FRANKFURT:MXR, OTCPINK:MWSNF**)

[Mawson Gold Limited](#) is an exploration and development company. Mawson has distinguished itself as a leading Nordic Arctic exploration company with a focus on the flagship Rajapalot gold-cobalt project in Finland. Mawson also owns or is joint venturing into three high-grade, historic epizonal goldfields covering 470 square kilometres in Victoria, Australia and is well placed to add to its already significant gold-cobalt resource in Finland.

Further Information www.mawsongold.com

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7
Mariana Bermudez (Canada), Corporate Secretary, +1 (604) 685 9316,
info@mawsongold.com

On behalf of the Board,

"Michael Hudson"
Michael Hudson, Chairman & CEO

Forward-Looking Statement This news release contains forward-looking statements or forward-looking information within the meaning of applicable Canadian securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements and are based upon various estimates and assumptions including, without limitation, the expectations and beliefs of management, including that the Company can access financing, appropriate equipment and sufficient labor. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, but not limited to: capital and other costs varying significantly from estimates; changes in world metal markets; changes in equity markets; ability to achieve goals; that the political environment in which the Company operates will continue to support the development and operation of mining projects; the threat associated with outbreaks of viruses and infectious diseases, including the novel COVID-19 virus; risks related to negative publicity with respect to the Company or the mining industry in general; reliance on a single asset; planned drill programs and results varying from expectations; unexpected geological conditions; local community relations; dealings with non-governmental organizations; delays in operations due to permit grants; environmental and safety risks; and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on www.sedar.com. While these factors and assumptions are considered reasonable by Mawson, in light of management's experience and perception of current conditions and expected developments, Mawson can give no assurance that such expectations will prove to be correct. Any forward-looking statement speaks only as of the date on which it is made and,

except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Figure 1: Plan of Rajapalot showing only results from 2021 drill program. Results in red are those reported in this press release. Dashed red rectangles show focus of 2021 resource expansion drilling program with historic drilling, resource areas and EM geophysical plates.




Table 1: Collar Information from 2020-21 drilling program at the Rajapalot Project (Finnish Grid, Projection KKJ3)

Hole ID	East	North	Azimuth	Dip	RL	Depth (m)	Prospect	Comment
PAL0235	3408208.1	7373667.8	047	-81.0	172.7	176.9 to 522.0	South Palokas	reported 29 June 2021
PAL0237	3409690	7374570	220	-61	180.4	68.5	Hirvimaan	reported 25 Nov 2020
PAL0238	3409662	7374613	220	-77	180.9	149.7	Hirvimaan	reported 25 Nov 2020
PAL0239	3410303.4	7372642.9	060	-66.0	151.0	41.7	Joki East	Abandoned, reported 25 Nov 2020
PAL0240	3410305.1	7372643.6	060	-66.0	151.2	281.7	Joki East	reported 25 Nov 2020
PAL0241	3410337.8	7372661.1	060	-66.0	151.3	236.4	Joki East	reported 25 Nov 2020
PAL0242	3410364.0	7372674.9	060	-66.0	150.6	236.8	Joki East	reported 25 Nov 2020
PAL0243	3410309.3	7372708.5	060	-67.5	151.4	239.7	Joki East	reported 21 Dec 2020
PAL0244	3410337.3	7372726.2	062	-68.0	151.4	251.7	Joki East	reported 21 Dec 2020
PAL0245	3410275.0	7372690.0	060	-66.0	151.4	257.5	Joki East	reported 21 Dec 2020
PAL0246	3410266.1	7372744.7	060	-71.0	152.3	287.6	Joki East	reported 21 Dec 2020
PAL0247	3410211.8	7372728.5	061	-64.0	151.5	293.4	Joki East	reported 21 Dec 2020
PAL0248	3411714.7	7371404.9	065	-60.0	124.9	323.6	Regional	reported 12 April 2021
PAL0249	3410204.0	7372724.3	064	-72.0	151.6	269.6	Joki East	reported 12 April 2021
PAL0250	3410404.0	7372632.2	060	-66.0	151.2	195.3	Joki East	reported 12 April 2021
PAL0251	3410374.9	7372616.9	060	-66.0	151.0	179.9	Joki East	reported 12 April 2021
PAL0252	3410435.4	7372651.2	060	-66.0	149.5	155.9	Joki East	reported 12 April 2021
PAL0253	3410154.1	7372819.7	061	-78.5	153.8	359.7	Joki East	reported 12 April 2021
PAL0254	3410153.2	7372821.5	061	-70.5	155.0	320.9	Joki East	reported 12 April 2021
PAL0255	3408125.6	7373140.2	090	-85.0	172.5	347.9	Hut	reported 12 April 2021
PAL0256	3408125.6	7373140.2	088	-72.0	172.5	272.6	Hut	reported 12 April 2021
PAL0257	3408126.6	7373140.2	087	-58.0	172.5	230.4	Hut	reported 12 April 2021
PAL0258	3407835.1	7372449.6	039	-85.0	172.3	389.8	Rumajärvi	Reported here
PAL0259	3408064.0	7372937.0	057	-61.5	173.4	299.9	Hut	reported 12 April 2021
PAL0260	3408089.4	7373033.5	059	-70.0	173.1	320.6	Hut	reported 12 April 2021
PAL0261	3408064.0	7372937.0	057	-74.0	173.4	311.7	Hut	Reported here
PAL0262	3408463.9	7373910.4	139	-73.0	173.6	358.9	Palokas	Reported here
PAL0263	3408089.4	7373033.5	059	-84.0	173.1	329.8	Hut	reported 12 April 2021
PAL0264	3407834.0	7372449.7	039	-68.0	172.8	125.5	Rumajärvi	Reported here
PAL0265	3407956.6	7373143.7	143	-49.0	172.1	301.8	Hut	reported 12 April 2021
PAL0266	3407835.1	7372448.6	210	-78.0	172.3	149.7	Rumajärvi	Reported here
PAL0267	3407840.8	7372408.1	065	-48.2	172.7	268.9	Rumajärvi	Reported here
PAL0268	3408186.3	7372767.6	060	-80.0	178.7	131.5	Terry's Hammer	Reported here
PAL0269	3407956.6	7373143.7	126	-46.0	172.1	268.5	Hut	reported 12 April 2021
PAL0270	3408463.9	7373910.4	124	-59.0	173.6	289.8	Palokas	Reported here
PAL0271	3408186.3	7372767.6	210	-85.0	178.7	120.0	Terry's Hammer	Reported here
PAL0272	3407840.8	7372408.1	065	-73.0	172.7	302.6	Rumajärvi	Reported here
PAL0273	3408215.8	7372746.9	119	-54.0	177.3	82.1	Terry's Hammer	Reported here
PAL0274	3407956.6	7373143.7	114	-45.0	172.1	280.2	Hut	Reported here
PAL0275	3408089.4	7373033.5	240	-81.0	173.1	161.8	Hut	Reported here
PAL0276	3408467.8	7373868.1	128	-50.0	172.0	23.9	Palokas	Reported here
PAL0277	3408090.7	7373033.0	056	-81.5	173.6	257.3	Hut	Reported here
PAL0278	3407956.6	7373143.0	150	-50.0	172.1	280.0	Hut	Reported here
PAL0279	3408467.8	7373868.1	128	-50.0	172.0	287.9	Palokas	Reported here
PAL0280	3407641.8	7372426.8	061	-38.0	173.0	342.9	Rumajärvi	Reported here
PAL0281	3408544.8	7373674.7	116	-60.0	173.5	146.3	South Palokas	Reported here
PAL0282	3407941.4	7373070.5	061	-67.0	172.7	341.9	Hut	Reported here
PAL0283	3408467.8	7373868.1	141	-52.1	173.5	277.9	Palokas	Reported here
PAL0284	3408521.2	7373606.0	062	-79.0	173.6	146.6	South Palokas	Reported here
PAL0285	3407641.8	7372426.9	061	-47.0	173.0	314.2	Rumajärvi	Reported here
PAL0286	3408521.2	7373606.0	240	-69.0	173.6	149.4	South Palokas	reported 03 August 2021
PAL0287	3407941.4	7373070.5	061	-76.0	172.7	346.7	Hut	Reported here
PAL0288	3408521.2	7373606.0	240	-57.0	173.6	172.8	South Palokas	reported 29 June 2021
PAL0289	3408467.8	7373868.1	155	-52.0	172.0	305.2	Palokas	Reported here
PAL0290	3408410.5	7373660.5	235	-78.0	174.0	335.6	South Palokas	reported 29 June 2021
PAL0291	3407941.4	7373070.5	061	-85.0	172.7	329.3	Hut	Reported here
PAL0292	3408112.4	7372770.1	060	-61.0	172.4	149.1	Terry's Hammer	Reported here
PAL0293	3408467.8	7373868.1	061	-68.0	172.0	344.3	Palokas	Reported here
PAL0294	3407941.4	7373070.5	220	-87.0	172.7	353.7	Hut	Reported here
PAL0295	3408821.1	7372287.6	058	-80.0	172.7	140.2	Raja	reported 13 July 2021
PAL0296	3408410.5	7373660.5	241	-71.5	174.0	368.7	South Palokas	reported 03 August 2021
PAL0297	3408821.1	7372287.6	058	-66.0	172.7	169.4	Raja	reported 13 July 2021
PAL0298	3408466.5	7373867.0	128	-65.0	173.9	305.1	Palokas	Reported here
PAL0299	3408410.5	7373660.5	241	-64.5	174.0	394.7	South Palokas	reported 03 August 2021
PAL0300	3408821.1	7372287.6	245	-80.0	172.7	142.5	Raja	reported 13 July 2021
PAL0301	3407999.2	7373194.3	115	-57.0	172.1	335.0	Hut	Reported here
PAL0302	3408912.5	7372341.5	238	-73.0	172.3	163.8	Raja	reported 13 July 2021

PAL0303	3407712.4	7373644.2	044	-75.5	172.7	629.2	South Palokas	reported 03 August 2021
PAL0304	3407681.1	7373602.7	160	-58.0	173.6	125.2	South Palokas	Reported here
PAL0305	3407649.8	7373660.5	050	-82.0	174.0	281.5	South Palokas	reported 03 August 2021
PAL0306	3407843	7372798	60	-45	172.4	280.6	Rumajärvi	Reported here
PAL0307	3408273	7373630	66	-85	174.66	352.9	South Palokas	reported 03 August 2021
PAL0308	3408134	7373634	50	-77	173	515.6	South Palokas	reported 03 August 2021
PAL0309	3407850	7372499	81	-74	172.5	202.5	Rumajärvi	Reported here
PAL0310	3408610	7373895	167	-76	174.86	209.5	Palokas	Reported here
PAL0311	3408610	7373895	96	-55	174.86	78.9	Palokas	Abandoned due to snow melt

Table 2: Intersections from the 2020-21 Winter Drill Program. Intersections are reported with a lower cut of 0.3 g/t AuEq (using long term forecast gold and cobalt prices of \$1,599 per ounce and \$19.93 per pound respectively) over 2 metre lower cut. No upper cut-off was applied. "<" is below detection limit of 0.05 g/t Au.

Prospect	Hole ID	From (m)	To (m)	Width (m)	Au g/t	Co ppm	AuEq g/t
South Palokas	PAL0235	439.5	454.7	15.3	3.0	998	3.9
South Palokas	PAL0235	494.1	495.3	1.2	0.3	<	0.3
Joki East	PAL0240	148.8	149.8	1.0	0.9	5	0.9
Joki East	PAL0240	165.1	167.5	2.4	0.1	1187	1.1
Joki East	PAL0241	168.6	170.2	1.6	28.3	1190	29.3
Joki East	PAL0242	154.0	158.5	4.4	7.3	735	7.9
Joki East	PAL0243	193.0	195.9	2.9	0.6	574	1.1
Joki East	PAL0245	177.1	178.4	1.3	25.3	2327	27.3
Joki East	PAL0245	191.0	191.5	0.5	23.0	3974	26.4
Joki East	PAL0245	194.8	196.9	2.1	2.8	806	3.5
Joki East	PAL0246	188.6	189.2	0.6	10.3	725	10.9
Joki East	PAL0246	204.4	212.4	7.9	0.7	323	1.0
Joki East	PAL0247	216.6	218.5	1.9	0.7	103	0.7
Joki East	PAL0247	220.9	230.0	9.1	4.3	457	4.7
Joki East	PAL0249	177.3	178.3	1.0	2.5	344	2.8
Joki East	PAL0250	87.5	89.2	1.7	2.0	159	2.1
Joki East	PAL0250	120.5	121.5	1.0	0.8	130	0.9
Joki East	PAL0250	125.2	128.1	2.9	1.5	782	2.2
Joki East	PAL0250	136.6	137.6	1.0	1.8	33	1.8
Joki East	PAL0251	146.5	146.9	0.5	0.4	15	0.4
Joki East	PAL0251	152.8	153.9	1.2	0.4	29	0.4
Joki East	PAL0252	117.0	118.5	1.5	18.1	1696	19.6
Joki East	PAL0254	215.0	218.1	3.1	0.4	107	0.5
Joki East	PAL0254	288.5	290.0	1.5	1.3	167	1.4
Hut	PAL0255	78.8	90.1	11.4	0.4	123	0.5
Hut	PAL0255	102.5	103.5	1.1	0.1	314	0.3
Hut	PAL0255	106.6	110.5	4.0	0.1	222	0.3
Hut	PAL0255	212.7	213.8	1.1	0.1	609	0.6
Hut	PAL0255	236.6	237.7	1.1	0.2	268	0.4
Hut	PAL0255	312.1	313.1	1.0	1.0	44	1.1
Hut	PAL0256	79.4	83.0	3.7	0.2	67	0.3
Hut	PAL0256	95.9	96.9	1.0	0.2	382	0.5
Hut	PAL0256	100.2	101.2	1.0	0.3	127	0.4
Hut	PAL0256	110.0	113.0	3.0	0.9	549	1.3
Hut	PAL0256	115.1	119.0	3.9	0.3	223	0.5
Hut	PAL0256	121.4	125.0	3.7	0.1	234	0.3
Hut	PAL0256	140.0	142.0	2.0	0.0	385	0.4
Hut	PAL0257	47.0	48.0	1.0	0.1	219	0.3
Hut	PAL0257	174.5	175.5	1.0	0.1	429	0.4
Rumajärvi	PAL0258	44.5	46.0	1.5	0.0	675	0.6
Rumajärvi	PAL0258	66.9	69.9	3.0	8.3	283	8.6
Rumajärvi	PAL0258	94.0	108.6	14.6	0.6	1094	1.5
Hut	PAL0259	95.8	124.0	28.3	1.0	1090	2.0
Hut	PAL0259	126.3	150.3	24.0	1.0	1104	2.0
Hut	PAL0259	153.3	154.3	1.0	1.7	10	1.7
Hut	PAL0259	159.0	166.0	7.0	1.1	31	1.2

Hut	PAL0260	89.8	97.8	8.0	0.4	83	0.5
Hut	PAL0260	109.0	114.4	5.4	3.0	262	3.2
Hut	PAL0260	290.5	291.5	1.0	0.1	1357	1.2
Hut	PAL0261	126.3	127.3	1.0	0.0	1644	1.4
Palokas	PAL0262	331.0	333.0	2.0	0.3	<	0.3
Palokas	PAL0262	338.0	340.0	2.0	0.3	<	0.3
Hut	PAL0263	98.7	99.9	1.1	2.2	473	2.6
Hut	PAL0263	103.0	116.6	13.6	1.2	98	1.3
Hut	PAL0263	121.5	125.8	4.3	2.3	26	2.3
Hut	PAL0263	222.3	231.5	9.2	1.1	256	1.3
Rumajärvi	PAL0264	43.8	45.7	2.0	0.4	1541	1.7
Rumajärvi	PAL0264	92.3	93.2	1.0	0.3	104	0.4
Rumajärvi	PAL0264	100.2	110.1	9.9	1.0	803	1.7
Hut	PAL0265	203.2	204.2	1.0	1.0	11	1.0
Hut	PAL0265	231.6	241.6	10.0	0.8	406	1.1
Rumajärvi	PAL0267	30.3	57.8	27.5	0.7	443	1.0
Rumajärvi	PAL0267	62.8	76.9	14.2	0.4	383	0.8
Rumajärvi	PAL0267	81.5	84.0	2.5	0.4	108	0.5
Terry's Hammer	PAL0268	26.8	28.8	2.0	0.8	122	0.9
Terry's Hammer	PAL0268	54.4	56.2	1.8	0.0	754	0.7
Hut	PAL0269	185.7	186.7	1.0	0.1	461	0.5
Hut	PAL0269	191.7	193.8	2.1	5.2	275	5.5
Hut	PAL0269	195.9	210.9	15.0	1.0	307	1.3
Hut	PAL0269	214.9	215.9	1.0	0.6	14	0.6
Hut	PAL0269	219.4	222.4	3.0	3.1	13	3.1
Hut	PAL0269	250.0	250.9	0.8	1.8	66	1.9
Palokas	PAL0270	216.0	218.4	2.4	0.3	328	0.6
Palokas	PAL0270	222.4	223.4	1.0	1.1	47	1.1
Rumajärvi	PAL0272	182.5	183.5	1.0	0.0	364	0.3
Terry's Hammer	PAL0273	14.6	23.9	9.3	1.5	422	1.9
Terry's Hammer	PAL0273	26.2	29.2	3.0	0.8	380	1.1
Hut	PAL0274	270.1	272.1	2.0	0.4	100	0.5
Hut	PAL0275	156.5	158.5	2.0	0.7	49	0.8
Hut	PAL0278	101.0	102.3	1.3	0.5	71	0.6
Hut	PAL0278	170.8	172.8	2.0	0.2	560	0.6
Hut	PAL0278	174.8	175.8	1.0	0.1	694	0.7
Hut	PAL0278	220.5	223.6	3.2	1.4	168	1.6
Palokas	PAL0279	192.6	193.6	1.0	0.4	484	0.8
Palokas	PAL0279	219.2	220.2	1.0	0.3	14	0.4
Palokas	PAL0279	223.2	224.2	1.0	0.3	132	0.4
Palokas	PAL0279	227.9	231.9	4.1	0.3	76	0.3
Palokas	PAL0279	250.0	252.0	2.0	0.0	666	0.6
Rumajärvi	PAL0280	240.5	241.0	0.5	0.0	434	0.4
Rumajärvi	PAL0280	247.0	253.4	6.4	1.0	1302	2.1
Hut	PAL0282	123.1	125.1	2.0	0.5	58	0.5
Hut	PAL0282	140.0	141.0	1.0	0.0	349	0.3
Hut	PAL0282	174.3	175.3	1.0	0.0	480	0.4
Palokas	PAL0283	205.0	209.3	4.3	0.3	118	0.5
Palokas	PAL0283	222.8	223.8	1.0	8.2	52	8.3

Rumajärvi	PAL0285	239.0	240.0	1.0	0.1	750	0.7
South Palokas	PAL0286	100.6	115.6	15.0	0.2	669	0.8
South Palokas	PAL0288	119.0	130.0	11.0	4.0	756	4.6
South Palokas	PAL0288	134.0	140.0	6.0	0.3	448	0.7
Palokas	PAL0289	195.0	198.0	3.0	0.0	241	0.2
Palokas	PAL0289	200.1	201.2	1.1	0.0	366	0.3
South Palokas	PAL0290	186.0	194.0	8.0	0.3	394	0.6
South Palokas	PAL0290	197.0	198.0	1.0	0.7	142	0.8
South Palokas	PAL0290	201.0	203.0	2.0	0.0	372	0.3
South Palokas	PAL0290	229.8	230.8	1.0	0.1	444	0.4
South Palokas	PAL0290	240.0	260.0	20.0	1.7	529	2.1
Hut	PAL0291	106.9	107.9	1.0	11.2	28	11.2
Hut	PAL0291	213.2	215.2	2.0	0.2	1187	1.2
Hut	PAL0291	284.5	298.7	14.2	1.2	353	1.5
Palokas	PAL0293	260.2	267.3	7.1	1.7	466	2.1
Palokas	PAL0293	274.2	288.0	13.8	1.0	899	1.7
Palokas	PAL0293	291.2	295.2	4.0	1.2	321	1.5
Hut	PAL0294	206.9	209.9	3.0	0.1	931	0.9
Hut	PAL0294	213.9	219.9	6.0	0.1	1006	1.0
Hut	PAL0294	249.8	253.8	4.0	0.1	540	0.5
Raja	PAL0295	31.6	37.6	6.0	0.0	1054	0.9
Raja	PAL0295	40.7	41.7	1.0	0.0	930	0.8
Raja	PAL0295	49.3	50.3	1.0	0.7	175	0.8
Raja	PAL0295	53.3	69.0	15.7	3.8	783	4.5
South Palokas	PAL0296	203.5	204.5	1.0	0.3	194	0.5
South Palokas	PAL0296	254.0	278.0	24.0	1.3	538	1.8
South Palokas	PAL0296	281.0	291.4	10.4	0.4	141	0.5
South Palokas	PAL0296	322.5	329.5	7.0	1.8	288	2.0
Raja	PAL0297	40.9	45.9	5.0	0.0	1127	1.0
Raja	PAL0297	65.4	68.4	3.0	2.8	263	3.0
Raja	PAL0297	74.0	94.7	20.7	7.4	111	7.5
Raja	PAL0297	97.7	106.2	8.5	2.3	812	3.0
Palokas	PAL0298	232.4	236.4	4.0	0.7	28	0.7
Palokas	PAL0298	244.1	245.1	1.0	0.5	81	0.6
Palokas	PAL0298	249.1	252.1	3.0	2.8	60	2.8
Palokas	PAL0298	260.1	263.1	3.0	1.2	33	1.3
Palokas	PAL0298	266.1	269.1	3.0	0.6	15	0.6
South Palokas	PAL0299	339.0	341.0	2.0	0.7	167	0.8
Hut	PAL0301	160.0	161.0	1.0	0.3	50	0.4
Hut	PAL0301	181.3	182.3	1.0	1.3	31	1.3
Hut	PAL0301	186.3	186.9	0.6	0.0	327	0.3
Hut	PAL0301	207.7	211.2	3.5	7.4	2290	9.4
Hut	PAL0301	251.7	252.9	1.2	0.0	551	0.5
Hut	PAL0301	266.2	267.9	1.7	0.0	400	0.4
Hut	PAL0301	325.8	327.8	2.0	0.5	200	0.7
Raja	PAL0302	97.4	99.4	2.0	7.1	96	7.2
Raja	PAL0302	125.4	126.4	1.0	0.4	33	0.4
Raja	PAL0302	144.0	148.4	4.4	1.6	512	2.0
South Palokas	PAL0303	553.2	584.0	30.8	3.9	1403	5.1

South Palokas	PAL0303	597.8	600.8	3.0	0.0	498	0.5
South Palokas	PAL0303	613.7	616.2	2.6	0.0	1703	1.5
South Palokas	PAL0304	56.2	61.1	5.0	0.3	43	0.3
South Palokas	PAL0305	190.7	192.7	2.0	0.5	15	0.5
South Palokas	PAL0305	196.7	197.7	1.0	0.4	80	0.5
South Palokas	PAL0305	201.3	203.3	2.0	1.9	110	2.0
South Palokas	PAL0305	220.9	237.6	16.8	0.6	663	1.1
Rumajärvi	PAL0306	23.3	29.0	5.8	0.3	131	0.4
Rumajärvi	PAL0306	75.8	76.8	1.1	0.3	325	0.5
South Palokas	PAL0307	305.4	308.6	3.2	0.3	499	0.7
South Palokas	PAL0307	312.6	316.6	4.0	0.1	334	0.4
South Palokas	PAL0307	319.5	320.4	0.9	0.1	591	0.6
South Palokas	PAL0308	439.5	461.7	22.3	0.6	751	1.3
South Palokas	PAL0308	492.6	501.0	8.4	3.1	866	3.9
Rumajärvi	PAL0309	74.2	78.0	3.8	0.0	1146	1.0
Palokas	PAL0310	143.5	146.7	3.2	0.0	889	0.8
Palokas	PAL0310	149.0	153.0	4.0	0.1	628	0.6
Palokas	PAL0310	159.0	170.8	11.8	0.4	317	0.7

Table 3: Individual assay data from drill holes reported in this press release.

Hole ID	From (m)	To (m)	Width (m)	Au g/t	Co ppm	AuEq g/t
PAL0258	44.5	46.0	1.5	<	675	0.6
PAL0258	66.9	67.9	1.0	5.1	229	5.3
PAL0258	67.9	68.9	1.0	19.5	396	19.8
PAL0258	68.9	69.9	1.0	0.3	225	0.5
PAL0258	94.0	95.0	1.0	0.4	1819	2.0
PAL0258	95.0	96.0	1.0	0.9	1033	1.7
PAL0258	96.0	97.0	1.0	0.8	1366	1.9
PAL0258	97.0	98.2	1.2	1.9	1087	2.8
PAL0258	98.2	99.6	1.4	1.2	1363	2.3
PAL0258	99.6	101.0	1.5	0.6	567	1.0
PAL0258	101.0	102.0	1.0	0.7	1401	1.9
PAL0258	102.0	103.0	1.0	0.5	1375	1.6
PAL0258	103.0	104.0	1.0	0.3	1148	1.2
PAL0258	104.0	105.0	1.0	0.2	913	1.0
PAL0258	105.0	106.0	1.0	<	12	0.0
PAL0258	106.0	107.0	1.0	0.3	1151	1.2
PAL0258	107.0	108.6	1.6	0.2	1120	1.1
PAL0261	126.3	127.3	1.0	0.0	1644	1.4
PAL0262	331.0	333.0	2.0	0.3		0.3
PAL0262	338.0	340.0	2.0	0.3		0.3
PAL0264	43.8	44.7	1.0	0.3	1595	1.6
PAL0264	44.7	45.7	1.0	0.5	1489	1.8
PAL0264	92.3	93.2	1.0	0.3	104	0.4
PAL0264	100.2	101.1	1.0	0.2	1996	1.9
PAL0264	101.1	102.1	1.0	0.3	656	0.9
PAL0264	102.1	103.0	0.9	0.9	423	1.2
PAL0264	103.0	103.8	0.8	1.3	688	1.9
PAL0264	103.8	104.9	1.1	0.1	1520	1.4
PAL0264	104.9	105.9	1.0	2.8	1873	4.4
PAL0264	105.9	106.9	1.0	4.0	467	4.4
PAL0264	106.9	107.6	0.8	0.5	153	0.6
PAL0264	107.6	108.5	0.9	0.1	144	0.2
PAL0264	108.5	109.4	0.9	0.1	56	0.1
PAL0264	109.4	110.1	0.8	0.4	379	0.7
PAL0267	30.3	31.3	1.0	0.1	808	0.8
PAL0267	31.3	32.3	1.0	<	64	0.1
PAL0267	32.3	33.3	1.0	<	59	0.1
PAL0267	33.3	34.3	1.0	1.6	512	2.0
PAL0267	34.3	35.0	0.7	1.4	164	1.5
PAL0267	35.0	36.0	1.0	0.5	49	0.6
PAL0267	36.0	37.0	1.0	<	15	0.0
PAL0267	37.0	38.0	1.0	<	26	0.0
PAL0267	38.0	39.0	1.0	0.4	21	0.4
PAL0267	39.0	39.7	0.7	0.2	19	0.2
PAL0267	39.7	40.3	0.6	<	25	0.0
PAL0267	40.3	41.3	1.0	0.1	760	0.8

PAL0267	41.3	42.0	0.7	<	482	0.4
PAL0267	42.0	43.0	1.0	<	224	0.2
PAL0267	43.0	44.0	1.0	0.9	1176	1.9
PAL0267	44.0	45.0	1.0	2.4	784	3.0
PAL0267	45.0	46.0	1.0	0.6	515	1.1
PAL0267	46.0	47.0	1.0	0.2	788	0.9
PAL0267	47.0	48.0	1.0	4.3	782	5.0
PAL0267	48.0	49.0	1.0	1.9	593	2.4
PAL0267	49.0	50.0	1.0	0.7	581	1.2
PAL0267	50.0	51.0	1.0	<	510	0.5
PAL0267	51.0	51.8	0.8	<	390	0.4
PAL0267	51.8	52.8	1.0	0.5	679	1.1
PAL0267	52.8	53.8	1.0	0.3	724	0.9
PAL0267	53.8	54.8	1.0	0.2	608	0.7
PAL0267	54.8	55.8	1.0	0.1	147	0.2
PAL0267	55.8	56.8	1.0	0.2	542	0.6
PAL0267	56.8	57.8	1.0	1.9	411	2.3
PAL0267	62.8	63.8	1.0	0.2	643	0.8
PAL0267	63.8	64.8	1.0	0.8	1274	1.9
PAL0267	64.8	65.8	1.0	0.2	601	0.7
PAL0267	65.8	66.6	0.8	0.1	262	0.3
PAL0267	66.6	68.0	1.5	<	419	0.4
PAL0267	68.0	69.0	1.0	<	102	0.1
PAL0267	69.0	70.0	1.0	0.1	364	0.4
PAL0267	70.0	71.0	1.0	0.3	362	0.6
PAL0267	71.0	72.0	1.0	0.1	171	0.3
PAL0267	72.0	73.0	1.0	0.5	212	0.6
PAL0267	73.0	74.0	1.0	0.3	495	0.7
PAL0267	74.0	75.0	1.0	0.1	209	0.3
PAL0267	75.0	75.9	0.9	0.1	19	0.1
PAL0267	75.9	76.9	1.0	3.6	154	3.8
PAL0267	81.5	82.1	0.6	0.4	207	0.6
PAL0267	82.1	83.1	1.0	0.2	67	0.3
PAL0267	83.1	84.0	0.9	0.5	88	0.6
PAL0268	26.8	27.8	1.0	1.4	120	1.5
PAL0268	27.8	28.8	1.0	0.3	124	0.4
PAL0268	54.4	55.2	0.8	<	484	0.4
PAL0268	55.2	56.2	1.0	<	969	0.9
PAL0270	216.0	217.2	1.2	0.1	406	0.5
PAL0270	217.2	218.4	1.2	0.4	250	0.6
PAL0270	222.4	223.4	1.0	1.1	47	1.1
PAL0273	14.6	15.9	1.3	1.4	183	1.5
PAL0273	15.9	16.9	1.0	2.3	204	2.5
PAL0273	16.9	17.9	1.0	2.6	545	3.0
PAL0273	17.9	18.9	1.0	2.2	686	2.8
PAL0273	18.9	19.9	1.0	2.3	746	3.0
PAL0273	19.9	20.9	1.0	0.7	403	1.0
PAL0273	20.9	21.9	1.0	1.1	66	1.1
PAL0273	21.9	22.9	1.0	0.3	547	0.8

PAL0273	22.9	23.9	1.1	0.6	477	1.0
PAL0273	23.9	24.9	1.0	<	45	0.1
PAL0273	24.9	26.2	1.3	<	43	0.1
PAL0273	26.2	27.2	1.0	0.2	326	0.4
PAL0273	27.2	28.2	1.0	0.3	561	0.8
PAL0273	28.2	29.2	1.0	2.0	254	2.2
PAL0274	270.1	271.1	1.0	0.3	74	0.3
PAL0274	271.1	272.1	1.0	0.6	125	0.7
PAL0275	156.5	157.5	1.0	0.9	64	0.9
PAL0275	157.5	158.5	1.0	0.6	34	0.6
PAL0278	101.0	102.3	1.3	0.5	71	0.6
PAL0278	170.8	171.8	1.0	0.3	745	0.9
PAL0278	171.8	172.8	1.0	<	375	0.3
PAL0278	172.8	173.8	1.0	<	14	0.0
PAL0278	173.8	174.8	1.1	<	35	0.1
PAL0278	174.8	175.8	1.0	0.1	694	0.7
PAL0278	220.5	221.5	1.0	2.6	238	2.8
PAL0278	221.5	222.5	1.0	1.1	105	1.2
PAL0278	222.5	223.6	1.2	0.8	161	0.9
PAL0279	192.6	193.6	1.0	0.4	484	0.8
PAL0279	219.2	220.2	1.0	0.3	14	0.4
PAL0279	223.2	224.2	1.0	0.3	132	0.4
PAL0279	227.9	228.9	1.0	0.2	171	0.4
PAL0279	228.9	229.9	1.0	0.2	37	0.2
PAL0279	229.9	230.9	1.0	0.1	47	0.1
PAL0279	230.9	231.9	1.1	0.6	49	0.6
PAL0279	250.0	251.0	1.0	<	732	0.7
PAL0279	251.0	252.0	1.0	<	600	0.5
PAL0280	240.5	241.0	0.5	<	434	0.4
PAL0280	247.0	248.0	1.0	<	594	0.5
PAL0280	248.0	249.0	1.0	0.6	1833	2.2
PAL0280	249.0	250.0	1.0	0.6	1552	2.0
PAL0280	250.0	251.0	1.0	4.7	1334	5.9
PAL0280	251.0	252.0	1.0	0.2	1491	1.5
PAL0280	252.0	253.0	1.0	0.2	1200	1.2
PAL0280	253.0	253.4	0.4	0.3	817	1.0
PAL0282	123.1	124.1	1.0	0.7	60	0.8
PAL0282	124.1	125.1	1.0	0.3	57	0.3
PAL0282	140.0	141.0	1.0	<	349	0.3
PAL0282	174.3	175.3	1.0	<	480	0.4
PAL0283	205.0	206.0	1.0	<	420	0.4
PAL0283	206.0	208.0	2.0	<	35	0.1
PAL0283	208.0	209.3	1.3	1.1	12	1.1
PAL0283	222.8	223.8	1.0	8.2	52	8.3
PAL0285	239.0	240.0	1.0	0.1	750	0.7
PAL0289	195.0	196.0	1.0	<	355	0.3
PAL0289	196.0	197.0	1.0	<	43	0.1
PAL0289	197.0	198.0	1.0	<	324	0.3
PAL0289	198.0	199.1	1.1	<	233	0.2

PAL0289	199.1	200.1	1.0	<	218	0.2
PAL0289	200.1	201.2	1.1	0.0	366	0.3
PAL0291	106.9	107.9	1.0	11.2	28	11.2
PAL0291	213.2	214.2	1.0	0.4	1945	2.1
PAL0291	214.2	215.2	1.0	<	430	0.4
PAL0291	284.5	285.5	1.0	1.1	15	1.1
PAL0291	285.5	286.5	1.0	1.1	18	1.1
PAL0291	286.5	287.5	1.0	2.9	43	3.0
PAL0291	287.5	288.5	1.0	1.7	107	1.8
PAL0291	288.5	289.5	1.0	2.0	114	2.1
PAL0291	289.5	290.5	1.0	2.0	500	2.5
PAL0291	290.5	291.5	1.0	0.8	115	0.9
PAL0291	291.5	292.5	1.0	0.1	56	0.1
PAL0291	292.5	293.5	1.0	0.5	695	1.1
PAL0291	293.5	294.5	1.0	0.1	442	0.5
PAL0291	294.5	295.4	0.9	0.2	106	0.3
PAL0291	295.4	296.4	1.0	1.8	357	2.1
PAL0291	296.4	297.4	1.0	1.8	2214	3.7
PAL0291	297.4	298.7	1.3	0.4	177	0.5
PAL0293	260.2	261.2	1.0	10.1	622	10.6
PAL0293	261.2	262.2	1.0	0.6	233	0.8
PAL0293	262.2	263.2	1.0	<	161	0.2
PAL0293	263.2	264.2	1.0	<	65	0.1
PAL0293	264.2	265.3	1.1	0.8	1055	1.7
PAL0293	265.3	266.3	1.0	0.5	357	0.8
PAL0293	266.3	267.3	1.0	0.2	708	0.8
PAL0293	274.2	275.0	0.8	1.3	1479	2.5
PAL0293	275.0	276.0	1.0	0.7	1782	2.3
PAL0293	276.0	277.0	1.0	0.1	178	0.2
PAL0293	277.0	278.0	1.0	0.1	372	0.4
PAL0293	278.0	279.0	1.0	2.6	456	2.9
PAL0293	279.0	280.0	1.0	0.1	540	0.5
PAL0293	280.0	281.0	1.0	0.6	1982	2.3
PAL0293	281.0	282.0	1.0	0.4	1744	1.9
PAL0293	282.0	283.0	1.0	0.1	735	0.7
PAL0293	283.0	284.0	1.0	0.1	490	0.5
PAL0293	284.0	285.0	1.0	0.1	686	0.7
PAL0293	285.0	286.0	1.0	1.8	1148	2.8
PAL0293	286.0	287.0	1.0	2.7	773	3.3
PAL0293	287.0	288.0	1.0	3.2	340	3.5
PAL0293	288.0	289.2	1.2	<	148	0.2
PAL0293	289.2	290.2	1.0	<	134	0.1
PAL0293	290.2	291.2	1.0	<	94	0.1
PAL0293	291.2	292.2	1.0	1.2	385	1.5
PAL0293	292.2	293.2	1.0	1.7	356	2.0
PAL0293	293.2	294.2	1.0	1.2	515	1.7
PAL0293	294.2	295.2	1.0	0.7	27	0.7
PAL0294	206.9	207.9	1.0	0.1	991	1.0
PAL0294	207.9	208.9	1.0	0.1	1336	1.3

PAL0294	208.9	209.9	1.0	0.1	467	0.5
PAL0294	213.9	214.9	1.0	0.2	1010	1.0
PAL0294	214.9	215.9	1.0	0.1	1002	1.0
PAL0294	215.9	216.9	1.0	0.1	722	0.7
PAL0294	216.9	217.9	1.0	0.2	2195	2.1
PAL0294	217.9	218.9	1.0	<	678	0.6
PAL0294	218.9	219.9	1.0	<	430	0.4
PAL0294	249.8	250.8	1.0	0.1	408	0.4
PAL0294	250.8	251.8	1.0	0.1	470	0.5
PAL0294	251.8	252.8	1.0	0.1	753	0.7
PAL0294	252.8	253.8	1.0	0.1	529	0.5
PAL0298	232.4	233.4	1.0	0.3	26	0.3
PAL0298	235.4	236.4	1.0	2.2	55	2.3
PAL0298	244.1	245.1	1.0	0.5	81	0.6
PAL0298	249.1	250.1	1.0	7.2	118	7.3
PAL0298	250.1	251.1	1.0	0.9	46	0.9
PAL0298	251.1	252.1	1.0	0.3	16	0.3
PAL0298	260.1	261.1	1.0	0.8	5	0.8
PAL0298	261.1	262.1	1.0	2.3	37	2.4
PAL0298	262.1	263.1	1.0	0.6	56	0.7
PAL0298	266.1	267.1	1.0	0.5	10	0.5
PAL0298	267.1	268.1	1.0	0.4	19	0.4
PAL0298	268.1	269.1	1.0	0.9	17	0.9
PAL0301	160.0	161.0	1.0	0.3	50	0.4
PAL0301	181.3	182.3	1.0	1.3	31	1.3
PAL0301	186.3	186.9	0.6	<	327	0.3
PAL0301	207.7	208.2	0.6	3.0	452	3.4
PAL0301	208.2	209.2	1.0	2.0	1059	2.9
PAL0301	209.2	210.2	1.0	3.2	3716	6.4
PAL0301	210.2	211.2	1.0	19.5	3104	22.2
PAL0301	251.7	252.9	1.2	<	551	0.5
PAL0301	266.2	267.3	1.1	<	418	0.4
PAL0301	267.3	267.9	0.6	<	367	0.3
PAL0301	325.8	326.8	1.0	0.9	79	1.0
PAL0301	326.8	327.8	1.0	0.1	320	0.4
PAL0304	56.2	57.1	1.0	0.7	56	0.8
PAL0304	57.1	58.1	1.0	<	14	0.0
PAL0304	58.1	59.1	1.0	<	16	0.0
PAL0304	59.1	60.1	1.0	0.3	10	0.3
PAL0304	60.1	61.1	1.0	0.2	121	0.3
PAL0306	23.3	24.3	1.0	0.4	168	0.5
PAL0306	24.3	25.5	1.3	0.4	85	0.5
PAL0306	25.5	26.7	1.2	0.1	130	0.2
PAL0306	26.7	27.7	1.0	0.2	240	0.4
PAL0306	27.7	29.0	1.3	0.4	63	0.4
PAL0309	74.2	75.2	1.0	<	1419	1.2
PAL0309	75.2	76.6	1.4	<	1690	1.5
PAL0309	76.6	78.0	1.4	<	408	0.4
PAL0310	143.5	144.5	1.0	<	337	0.3

PAL0310	144.5	145.7	1.2	0.1	1701	1.5
PAL0310	145.7	146.7	1.0	<	467	0.4
PAL0310	146.7	148.0	1.3	<	24	0.0
PAL0310	148.0	149.0	1.0	<	129	0.1
PAL0310	149.0	150.0	1.0	0.2	579	0.7
PAL0310	150.0	151.0	1.0	0.1	1036	1.0
PAL0310	151.0	152.0	1.0	<	571	0.5
PAL0310	152.0	153.0	1.0	<	326	0.3
PAL0310	159.0	160.0	1.0	0.1	402	0.4
PAL0310	160.0	161.0	1.0	0.3	272	0.5
PAL0310	161.0	162.0	1.0	0.6	263	0.8
PAL0310	162.0	162.8	0.8	0.5	227	0.7
PAL0310	162.8	163.6	0.8	0.1	312	0.4
PAL0310	163.6	164.6	1.1	<	93	0.1
PAL0310	164.6	165.8	1.2	1.7	195	1.8
PAL0310	165.8	166.9	1.1	1.0	301	1.2
PAL0310	166.9	168.0	1.2	0.1	313	0.4
PAL0310	168.0	169.0	1.0	0.1	373	0.4
PAL0310	169.0	170.0	1.0	0.1	334	0.4
PAL0310	170.0	170.8	0.8	<	833	0.7