

NEWS RELEASE

September 05, 2023

## Mawson's Subsidiary SXG Drills 404 m @ 5.1 g/t Gold (Uncut) Traversing 13 High-Grade Veins 7 Intersections >100 g/t Gold, up to 2,670 g/t Gold

### Assays Pending on 100 m Step-Out Hole Intersecting Multiple Zones of Visible Gold

Vancouver, Canada — **Mawson Gold Limited** ("Mawson" or the "Company") (TSX:MAW) (Frankfurt:MXR) (PINKSHEETS: MWSNF) announces results from six drillholes (**SDDSC068, 73-74, 76, 77B, 78**) at the Sunday Creek Project in Victoria, Australia (Figure 1).

**SDDSC077B** drilled **404.4 m @ 5.6 g/t AuEq (5.1 g/t Au, 0.3 %Sb) from 374.0 m** (uncut), and traverses 13 individual high-grade vein sets (Figures 3-6). **Seven intervals have >100 g/t Au (up to 2,670 g/t Au), 20 intervals at >15 g/t Au and 20 intervals have >5% Sb (up to 55.8% Sb)**. It is the best hole drilled to date on the project, a spectacularly wide and high-grade intersection of gold-antimony mineralization.

**SDDSC078** demonstrated the up-dip extension and continuation of five high grade zones towards the surface and **SDDSC068** demonstrated the scale of the Sunday Creek system with a 500 m down-dip extension below prior drilling from the Apollo area.

Sunday Creek is 100% owned by Southern Cross Gold ("SXG"), which is an ASX listed company owned 51% by Mawson. Four rigs continue to drill both in the main drill area where eleven holes (SDDSC079-81, 83-90) are currently being geologically processed and chemically analyzed, with four holes (SDDSC082, 91-93) in drill progress (Figures 5-6) and up to 7.5 km along strike at the Tonal, Consols and Leviathan prospects where twelve holes (SDDTS001-7, SDDCN001 and SDDL001-4) for 2,383 m (including two redrilled collars) have now been completed with results expected in the coming weeks (Figure 2).

#### Highlights:

- **Demonstrating Grade:** SDDSC077B exceeds the previous best hole by almost three times. It contains the highest grades seen at Sunday Creek to date (up to 2,670 g/t Au) and includes the best intersection at Sunday Creek, as well as two others in the top 10.
- Hole SDDSC077B intersected **404.4 m @ 5.6 g/t AuEq (5.1 g/t Au, 0.3% Sb) from 374.0 m** (uncut). A selection of highlights include:
  - **5.6 m @ 17.8 g/t AuEq** (14.1 g/t Au, 2.4% Sb) **from 392.2 m**, including:
    - **0.2 m @ 31.5 g/t AuEq** (31.4 g/t Au, 0.0% Sb) **from 392.2 m**
    - **0.4 m @ 231.6 g/t AuEq** (182.0 g/t Au, 31.4% Sb) **from 394.2 m**
  - **5.4 m @ 39.3 g/t AuEq** (38.0 g/t Au, 0.8% Sb) **from 407.7 m**, including:
    - **0.4 m @ 593.6 g/t AuEq** (574.0 g/t Au, 12.4% Sb) **from 407.7 m**

Continued over the page

- **4.9 m @ 36.1 g/t AuEq** (20.1 g/t Au, 10.1% Sb) **from 445.2 m**, including:
  - **1.4 m @ 113.9 g/t AuEq** (66.6 g/t Au, 29.9% Sb) **from 445.2 m**
  - **0.3 m @ 54.0 g/t AuEq** (12.1 g/t Au, 26.5% Sb) **from 449.7 m**
- **6.9 m @ 205.2 g/t AuEq** (204.5 g/t Au, 0.4% Sb) **from 733.8 m**, including:
- **0.8 m @ 1,741.5 g/t AuEq** (1,736.4 g/t Au, 3.3% Sb) **from 739.9 m**:
  - **Including 0.4 m @ 731.2 g/t AuEq** (731.0 g/t Au, 0.1% Sb) **from 739.9 m**
  - **Including 0.4 m @ 2,679.8 g/t AuEq** (2,670 g/t Au, 6.2% Sb) **from 740.3 m**
- Drill hole SDDSC077B is the first hole to date to expand the mineralized footprint 25 m to 60 m from SDDSC050 (305 m @ 2.4 g/t AuEq, reported 20 November 2022) and demonstrate continuity of mineralized structures between these holes at the Rising Sun prospect area (Figure 4).
- Drill hole SDDSC082 (in progress to plan 1,000m) is targeting mineralization 100 m below SDDSC077B and has intersected multiple zones of mineralization from 413 m to the current depth of 870 m down hole. Visible gold has been noted in multiple individual restricted zones to date.
- SDDSC078 intersected five mineralized structures over 214 m downhole length. Five individual assays of greater than 20 g/t gold, up to 162 g/t gold and high grades of antimony of up to 12.8% Sb were intersected. Visible gold was noted in six individual restricted zones.
- The Rising Sun area remains open up-dip, down-dip and along strike.
- **Demonstrating Volume:** SDDSC068 confirmed continuity of the known high-grade zones to great depth at Apollo by drilling 500 m down-dip from hole SDDSC066 (10.4 m @ 22.4 g/t AuEq) adding to the volume of the mineralized endowment.
- The Apollo area remains open up-dip, down-dip below 1,000 m depth and along strike
- Mawson owns 93,750,000 shares of SXG (51%), valuing its stake at A\$46.9 million (C\$41.2 million) based on SXG's closing price on August 31, 2023 AEST.

Noora Ahola, Mawson Interim CEO, states: *“With the release of SDDSC077B, SXG’s 100% owned Sunday Creek project solidifies its status as one of the best new gold discoveries in the world today. Thirteen individual high-grade vein sets with seven > 100 g/t Au intervals and 20 > 15 g/t Au over 400 m of strike speaks volumes on the quality of project. Hitting intercepts such as 0.4 m @ 2,670 g/t gold was the remaining factor that elevates Sunday Creek into the same league as the other globally high-grade epizonal gold deposits that exist in Victoria.*

*“Along with recently reported holes SDDSC068 & 78, these holes confirm SXG’s strategy to demonstrate grade, volume and scale at the project drilling both up and down dip of previously reported fantastic holes such as [SDDSC050](#) and [SDDSC066](#).*

*“SXG recently announced a planned 26,000 m drill campaign to April 2024 and is fully funded and permitted to execute on its strategy across its 11 km mineralized trend at Sunday Creek. It has a total of 24 holes that are pending release from both the main drill area and its regional targets up to 7,500 m to the northeast. We expect a steady stream of positive results to come out of Australia.”*

## Results Discussion

Drill hole SDDSC077B 404.4 m @ 5.6 g/t AuEq (5.1 g/t Au, 0.3% Sb) from 374.0 m (uncut) was designed to demonstrate continuity of mineralized structures between 25 m to 65 m spacing around hole SDDSC050 (305 m @ 2.4 g/t AuEq reported 20 November 2022) at Rising Sun. SDDSC077B (cumulative 2,272 AuEq g/t x m) exceeded SDDSC050 (cumulative 852 AuEq g/t x m), the previous best hole, by almost three times.

SDDSC077B hole intersected 13 zones of mineralization from 375 m to 787 m down hole depth with visible gold noted in 28 individual restricted zones. SDDSC050 also traversed across the same 13 vein structures intersected in SDDSC077B with between 25 m to 60 m distance separating the two holes.

SDDSC077B drilled parallel to the host breccia dyke but at a high angle to the predominant NW high-grade mineralization trend, and therefore, the true thickness of the mineralized interval is interpreted to be approximately 60-70% of the sampled thickness. Cumulatively the hole recorded a 2,272 g/t AuEq x m intersection. Seven intervals had >100 g/t Au (up to 2,679.8 g/t Au), 20 intervals at >15 g/t Au and 20 intervals with >5% Sb (up to 55.8% Sb) were intersected. Uncut, the hole graded 404.4 m @ 5.6 g/t AuEq (5.1 g/t Au, 0.3 %Sb) from 374.0 m.

Figure 4 shows the plan view of drill holes SDDSC050 and SDDSC070. Spatial separation of the holes is shown along their traces. The figure demonstrates the continuity of mineralized structures, especially in the dyke hanging wall, and shows the opportunity to extend the high grades into the dyke hanging wall.

Highlights from SDDSC077B include:

- **5.6 m @ 17.8 g/t AuEq** (14.1 g/t Au, 2.4% Sb) **from 392.2 m**, including:
  - **0.2 m @ 31.5 g/t AuEq** (31.4 g/t Au, 0.0% Sb) **from 392.2 m**
  - **0.4 m @ 231.6 g/t AuEq** (182.0 g/t Au, 31.4% Sb) **from 394.2 m**
- **5.4 m @ 39.3 g/t AuEq** (38.0 g/t Au, 0.8% Sb) **from 407.7 m**, including:
  - **0.4 m @ 593.6 g/t AuEq** (574.0 g/t Au, 12.4% Sb) **from 407.7 m**
- **24.0 m @ 3.6 g/t AuEq** (3.2 g/t Au, 0.2% Sb) **from 417.0 m**, including:
  - **1.5 m @ 43.1 g/t AuEq** (39.7 g/t Au, 2.1% Sb) **from 422.1 m**
  - **0.4 m @ 24.0 g/t AuEq** (17.3 g/t Au, 4.2% Sb) **from 428.2 m**
- **4.9 m @ 36.1 g/t AuEq** (20.1 g/t Au, 10.1% Sb) **from 445.2 m**, including:
  - **1.4 m @ 113.9 g/t AuEq** (66.6 g/t Au, 29.9% Sb) **from 445.2 m**
  - **0.3 m @ 54.0 g/t AuEq** (12.1 g/t Au, 26.5% Sb) **from 449.7 m**
- **33.8 m @ 3.0 g/t AuEq** (2.4 g/t Au, 0.4% Sb) **from 478.0 m**, including:
  - **1.2 m @ 11.9 g/t AuEq** (10.8 g/t Au, 0.7% Sb) **from 486.6 m**
  - **0.5 m @ 21.0 g/t AuEq** (20.9 g/t Au, 0.0% Sb) **from 491.9 m**
  - **1.0 m @ 19.6 g/t AuEq** (10.1 g/t Au, 6.0% Sb) **from 498.5 m**
  - **0.2 m @ 183.2 g/t AuEq** (168.0 g/t Au, 9.6% Sb) **from 500.9 m**
  - **0.3 m @ 6.1 g/t AuEq** (5.5 g/t Au, 0.4% Sb) **from 506.6 m**
- **6.5 m @ 10.2 g/t AuEq** (2.8 g/t Au, 4.7% Sb) **from 573.0 m**, including:
  - **2.6 m @ 24.1 g/t AuEq** (6.3 g/t Au, 11.3% Sb) **from 574.0 m**
- **6.9 m @ 205.2 g/t AuEq** (204.5 g/t Au, 0.4% Sb) **from 733.8 m**, including:
  - **1.1 m @ 9.8 g/t AuEq** (9.5 g/t Au, 0.2% Sb) **from 737.1 m**
  - **0.8 m @ 1,741.5 g/t AuEq** (1,736.4 g/t Au, 3.3% Sb) **from 739.9 m**
    - **Including 0.4 m @ 731.2 g/t AuEq** (731.0 g/t Au, 0.1% Sb) **from 739.9 m**
    - **Including 0.4 m @ 2,679.8 g/t AuEq** (2,670 g/t Au, 6.2% Sb) **from 740.3 m**

SDDSC078 was drilled 250 m up-dip SDDSC050 (305.8 m @ 2.4 g/t AuEq) and successfully targeted the high-grade core of mineralization at Rising Sun. Visible gold was noted in six individual restricted zones within SDDSC078. With the team's greater understanding of targeting grade, including definition of the Golden Orb Fault (Figure 3), SDDSC078 was able to be successfully targeted to intersect mineralization.

SDDSC068 was drilled 500 m down-dip of SDDSC066 (10.5 m @ 5.8 g/t AuEq, 7.8 m @ 5.4 g/t AuEq, and 10.4 m @ 22.4 g/t AuEq) and successfully targeted high-grades including 0.5 m @ 23.8 g/t Au from 1,010.4 m within a broader zone of mineralization including 13.3 m @ 1.6 g/t Au from 1,009.8 m at Apollo. Visible gold was noted.

For further information on holes SDDSC068, 73-74, 76, 78, please visit SXG's website at [www.southerncrossgold.com.au](http://www.southerncrossgold.com.au).

### Pending Results and Update

With four diamond drill rigs operating at site, SXG's plan is to drill an additional 26,000 m by April 2024, with 19,626 m drilled so far in 2023.

**Demonstrating Volume:** Eleven holes (SDDSC079-81, 83-90) are currently being geologically processed

and chemically analyzed, with four holes (SDDSC082, 91-93) in drill progress (Figure 5).

**Demonstrating Scale:** Twelve holes (SDDTS001-7, SDDCN001 and SDDL001-4) for 2,383 m (including two redrilled collars) have now been completed at the Leviathan – Consols – Tonstal regional area between 3,500 m to 7,500 m along strike from the main drill area. Results are expected in the coming weeks (Figure 2).

**Demonstrating Grade:** Preliminary visual geological logs of SDDSC082, drilled 100 m below hole SDDSC077B at Rising Sun intersected **multiple zones of mineralization with visible gold noted in certain restricted zones**. Assays are pending (Figures 5-6).

Further discussion and analysis of the Sunday Creek project by Southern Cross Gold is available on the SXG website at [www.southerncrossgold.com.au](http://www.southerncrossgold.com.au).

Figures 1-6 show project location, plan, longitudinal and cross-sectional views of drill results reported here and Tables 1–3 provide collar and assay data. The true thickness of the mineralized intervals reported are interpreted to be approximately 60-70% of the sampled thickness. Lower grades were cut at 0.3 g/t Au lower cutoff over a maximum width of 3 m with higher grades cut at 5.0 g/t Au cutoff over a maximum of 1 m width, unless otherwise stated.

### Technical Background and Qualified Person

The Qualified Person, Michael Hudson, Executive Chairman and a director of Mawson Gold, and a Fellow of the Australasian Institute of Mining and Metallurgy, has reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services (“On Site”) which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

MAW considers that both gold and antimony that are included in the gold equivalent calculation (“AuEq”) have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXG considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its Mandalay Technical Report, 2022 dated 25 March 2022. The gold equivalence formula used by Mandalay Resources was calculated using recoveries achieved at the Costerfield Property Brunswick Processing Plant during 2020, using a gold price of US\$1,700 per ounce, an antimony price of US\$8,500 per tonne and 2021 total year metal recoveries of 93% for gold and 95% for antimony, and is as follows:  $AuEq = Au (g/t) + 1.58 \times Sb (\%)$ .

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXG considers that a  $AuEq = Au (g/t) + 1.58 \times Sb (\%)$  is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

For previously reported exploration results referenced in this news release, refer to the following:

[December 14, 2022](#) SDDSC050    [June 1, 2023](#) SDDSC066

### About Mawson Gold Limited (TSX:MAW, FRANKFURT:MXR, OTCPIK:MWSNF)

[Mawson Gold Limited](#) is an exploration and development company. Mawson has distinguished itself as a leading Nordic exploration company with its 100% owned flagship Rajapalot gold-cobalt project in Finland, and right to earn into the Skellefteå North gold project in Sweden. Mawson also currently owns 51% of Southern Cross Gold Ltd (ASX: SXG) which in turn owns or controls three high-grade, historic epizonal goldfields covering 470 km<sup>2</sup> in Victoria, Australia.

### About Southern Cross Gold Ltd (ASX: SXG)

[Southern Cross Gold](#) holds the 100%-owned Sunday Creek project in Victoria and Mt Isa project in Queensland, the Redcastle and Whroo joint ventures in Victoria, Australia, and a strategic 10% holding in ASX-listed Nagambie Resources Limited (ASX:NAG) which grants SXG a Right of First Refusal over a 3,300 square kilometer tenement package held by NAG in Victoria.

On behalf of the Board,

**"Noora Ahola"**  
Noora Ahola, Interim CEO

**Further Information**

[www.mawsongold.com](http://www.mawsongold.com)

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7  
Mariana Bermudez (Canada), Corporate Secretary  
+1 (604) 685 9316 [info@mawsongold.com](mailto:info@mawsongold.com)

**Forward-Looking Statement**


This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, Mawson's expectations regarding its ownership interest in Southern Cross Gold, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises, including the current pandemic known as COVID-19 on the Company's business, risks related to negative publicity with respect to the Company or the mining industry in general; exploration potential being conceptual in nature, there being insufficient exploration to define a mineral resource on the Australian-projects owned by SXG, and uncertainty if further exploration will result in the determination of a mineral resource; planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on [SEDAR](#). Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

**Photo 1:** SDDSC077B from 739.9 m (0.8 m @ 1,741.5 g/t AuEq (1,736.4 g/t Au, 3.3% Sb) showing quartz-carbonate stockwork with visible gold in an altered dyke. Field of view 4cm.


A 3D LiDAR scanned image of 20 cm of core from 739.9m can also be view here:  
<https://magiscan.app/model/64c05072ee71b515fb1b0611.html>.



**Figure 1:** Location of the Sunday Creek project, along with SXG's other Victoria projects and simplified geology.




**Figure 2:** Sunday Creek regional plan view showing LiDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo.







**Figure 3:** Sunday Creek factual plan view showing SDDSC077B reported in this press release (grey box), selected prior reported drill holes and pending holes (yellow collar and trace). For location see Figure 2.




**Figure 4:** Sunday Creek unconstrained plan view showing SDDSC050 and SDDSC077B assays with other intersections also shown. Veins (red), dyke hanging wall surface relative to SDDSC077B and SDDSC050 (green) and hanging wall mineralized zone (from dyke hanging wall to dotted red line). The distance between SDDSC077B and SDDSC050 is shown along their traces. The RL at the start and end of holes is noted. For reference surface is approximately 300m RL. Of note is continuity of mineralized structures in the dyke hanging wall between SDDSC077B and SDDSC050. Host structure dips steeply to the north, veins dip steeply.



**Figure 5:** Sunday Creek longitudinal section across C-D the plane of the dyke breccia host looking towards the north showing mineralized veins sets. SDDSC077B reported here, with restricted visible gold intersections shown in SDDSC082 and prior reported drill holes shown.



**Figure 6:** Sunday Creek cropped cross section A-B (50 m influence) across the Rising Sun area looking towards 330 with mineralized veins sets, SDDSC077B and prior reported drill holes.



**Table 1:** Drill collar summary table for recent drillholes in progress.

Hole_ID	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC068	1041.2	Apollo	331254	5868098.6	353.9	211.3	-77.7
SDDSC073	818.3	Apollo	331254	5868097	353.9	212.0	-69.0
SDDSC077B	834.2	Rising Sun	330478	5867882	289.0	73.3	-62.2
SDDSC078	439.5	Rising Sun	330617	5867890	300.0	83.6	-58.0
SDDSC079	700.7	Rising Sun	331254	5868098	353.7	210.0	-65.0
SDDSC080	374.6	Rising Sun	330754	5868022	294.3	185.0	-71.0
SDDSC081	338.5	Rising Sun	330754	5868022	294.3	210.0	-60.0
SDDSC082	In progress plan 1000 m	Rising Sun	330484	5867895	289.0	74.0	-68.0
SDDSC083	347.5	Golden Dyke	330461	5867922	285.4	196.0	-54.0
SDDSC084	323.4	Rising Sun	330754	5868022	294.3	210.0	-53.0
SDDSC085	827.4	Apollo	331254	5868099	353.8	222.0	-64.0
SDDSC086	298.8	Golden Dyke	330461	5867922	285.4	208.0	-33.0
SDDSC087	286.7	Rising Sun	330754	5868022	294.3	214.0	-43.0
SDDSC088	360.0	Rising Sun	330754	5868022	294.3	214.0	-33.0
SDDSC089	390.0	Golden Dyke	330461	5867922	285.4	214.0	-48.0
SDDSC090	412.2	Christina	330461	5867922	285.4	226.0	-31.0
SDDSC091	In progress plan 580 m	Gentle Annie	330871	5868064	305.6	210.0	-69.0
SDDSC092	In progress plan 830 m	Rising Sun	330537	5867882	295.5	79.0	-60
SDDSC093	In progress plan 550 m	Rising Sun	331291	5867823	316.8	271	-47.5
SDDTS001	179.8	Tonstal	336788	5870637	525.0	156.0	-50.0
SDDTS002	182.6	Tonstal	336788	5870637	525.0	111.0	-42.0
SDDTS003	197.8	Tonstal	336788	5870637	525.0	111.0	-73.0
SDDTS004	62.6	Tonstal	336788	5870637	525.0	79.0	-60.0
SDDTS004A	170.6	Tonstal	336788	5870637	525.0	79.0	-60.0
SDDTS005A	257.1	Tonstal	336788	5870637	525.0	70.0	-42.0
SDDTS006	368.6	Tonstal	336788	5870637	525.0	48.0	-50.0
SDDTS007	179.6	Tonstal	336788	5870637	525.2	230.0	-50.0
SDDCN001	200.5	Consols	336270	5870700	507.0	220.0	-60.0
SDDL001	152.6	Leviathan	334240	5869962	552.2	190.0	-60.0
SDDL002	131.9	Leviathan	334240	5869962	552.2	240.0	-50.0
SDDL003	140.0	Leviathan	334240	5869962	552.2	90.0	-60.0
SDDL004	143.4	Leviathan	334428	5870014	553.0	242.5	-40.0

**Table 2:** Tables of mineralized drill hole intersections reported from SDDSC077B using two cut-off criteria. Lower grades cut at 0.3 g/t lower cutoff over a maximum of 3 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m.

Drill Hole	from (m)	to (m)	width (m)	Au g/t	Sb %	AuEq g/t	AuEq g/t * m
SDDSC077B	374.0	778.4	404.4	5.1	0.3	5.6	5.6
SDDSC077B	379.7	380.0	0.3	7.0	2.2	10.5	2.6
SDDSC077B	392.2	397.7	5.6	14.1	2.4	17.8	99.1
including	392.2	392.4	0.2	31.4	0.0	31.5	6.6
including	394.2	394.5	0.4	182.0	31.4	231.6	85.7
SDDSC077B	404.6	404.9	0.3	11.3	4.1	17.8	4.4
SDDSC077B	407.7	413.0	5.4	38.0	0.8	39.3	210.2
including	407.7	408.0	0.4	574.0	12.4	593.6	207.8
SDDSC077B	417.0	441.0	24.0	3.2	0.2	3.6	86.1
including	422.1	423.6	1.5	39.7	2.1	43.1	65.5
including	428.2	428.6	0.4	17.3	4.2	24.0	9.1
SDDSC077B	445.2	450.0	4.9	20.1	10.1	36.1	175.3
including	445.2	446.6	1.4	66.6	29.9	113.9	159.4
including	449.7	450.0	0.3	12.1	26.5	54.0	14.6
SDDSC077B	459.9	460.2	0.3	14.3	0.0	14.3	4.3
SDDSC077B	478.0	511.8	33.8	2.4	0.4	3.0	102.7
including	486.6	487.8	1.2	10.8	0.7	11.9	14.5
including	491.9	492.4	0.5	20.9	0.0	21.0	9.4
including	498.5	499.5	1.0	10.1	6.0	19.6	19.6
including	500.9	501.1	0.2	168.0	9.6	183.2	36.6
including	506.6	506.9	0.3	5.5	0.4	6.1	1.8
SDDSC077B	517.0	536.2	19.2	1.5	0.7	2.6	48.9
including	519.3	519.7	0.5	5.0	3.3	10.3	4.6
including	524.3	524.4	0.2	31.2	0.9	32.7	5.6
including	526.1	526.7	0.7	9.1	1.7	11.8	7.7
including	528.2	529.8	1.6	2.9	1.8	5.8	9.6
including	531.6	533.1	1.5	1.3	2.0	4.4	6.7
including	535.8	536.2	0.4	10.7	5.2	18.9	7.2
SDDSC077B	545.6	546.3	0.6	7.1	0.2	7.4	4.5
SDDSC077B	568.4	568.5	0.1	0.1	17.0	27.0	1.9
SDDSC077B	573.0	579.5	6.5	2.8	4.7	10.2	65.8
including	574.0	576.6	2.6	6.3	11.3	24.1	63.1
SDDSC077B	699.5	701.2	1.7	7.6	0.4	8.3	14.2
including	700.1	700.8	0.7	18.2	0.7	19.4	13.4
SDDSC077B	733.8	740.7	6.9	204.5	0.4	205.2	1424.1
including	737.1	738.3	1.1	9.5	0.2	9.8	11.1
including	739.9	740.7	0.8	1736.4	3.3	1741.5	1410.7
SDDSC077B	752.4	752.7	0.3	11.7	0.0	11.7	3.5
SDDSC077B	777.3	777.4	0.2	5.3	0.0	5.4	0.9

**Table 3:** All individual assays reported from SDDSC077B >0.1g/t AuEq.

Drill Hole	from (m)	to (m)	width (m)	Au g/t	Sb%	AuEq g/t
SDDSC077B	101.00	101.50	0.5	0.0	0.0	0.1
SDDSC077B	105.58	106.07	0.5	0.1	0.0	0.1
SDDSC077B	109.55	110.00	0.5	0.2	0.0	0.2
SDDSC077B	110.00	111.00	1.0	0.1	0.0	0.1
SDDSC077B	310.65	311.30	0.7	0.1	0.0	0.1
SDDSC077B	349.00	349.30	0.3	0.1	0.0	0.1
SDDSC077B	371.04	372.00	1.0	0.1	0.0	0.1
SDDSC077B	373.00	374.00	1.0	0.1	0.0	0.1
SDDSC077B	374.00	374.35	0.4	0.4	0.0	0.4
SDDSC077B	374.75	375.10	0.4	1.1	0.1	1.2
SDDSC077B	375.10	375.90	0.8	0.8	0.0	0.9
SDDSC077B	375.90	376.75	0.9	0.6	0.0	0.7
SDDSC077B	376.75	377.70	1.0	2.2	0.3	2.7
SDDSC077B	377.70	378.80	1.1	0.1	0.0	0.1
SDDSC077B	378.80	379.30	0.5	0.1	0.0	0.2
SDDSC077B	379.30	379.70	0.4	0.2	0.0	0.3
SDDSC077B	379.70	379.95	0.3	7.0	2.2	10.5
SDDSC077B	379.95	380.90	1.0	0.6	0.2	0.9
SDDSC077B	380.90	381.55	0.7	0.2	0.0	0.3
SDDSC077B	381.55	382.30	0.8	0.1	0.0	0.1
SDDSC077B	382.30	383.25	1.0	0.1	0.0	0.1
SDDSC077B	383.25	384.00	0.8	0.7	0.0	0.7
SDDSC077B	384.00	384.30	0.3	0.1	0.0	0.2
SDDSC077B	386.91	387.24	0.3	0.8	0.3	1.3
SDDSC077B	389.20	390.20	1.0	0.1	0.0	0.1
SDDSC077B	390.20	391.19	1.0	0.1	0.0	0.1
SDDSC077B	392.16	392.37	0.2	31.4	0.0	31.5
SDDSC077B	392.70	393.20	0.5	0.4	0.0	0.4
SDDSC077B	393.20	394.17	1.0	1.2	0.6	2.1
SDDSC077B	394.17	394.54	0.4	182.0	31.4	231.6
SDDSC077B	394.54	395.00	0.5	1.1	0.8	2.3
SDDSC077B	395.00	395.54	0.5	1.3	0.4	1.9
SDDSC077B	395.54	396.25	0.7	1.8	0.5	2.6
SDDSC077B	396.25	396.46	0.2	0.4	0.0	0.4
SDDSC077B	396.46	397.50	1.0	0.2	0.1	0.4
SDDSC077B	397.50	397.72	0.2	0.7	0.0	0.7
SDDSC077B	398.50	399.25	0.8	0.1	0.0	0.1
SDDSC077B	400.90	401.24	0.3	0.3	0.1	0.5
SDDSC077B	403.90	404.15	0.3	0.1	0.0	0.1
SDDSC077B	404.15	404.60	0.5	0.3	0.0	0.3

SDDSC077B	404.60	404.85	0.3	11.3	4.1	17.8
SDDSC077B	404.85	405.40	0.6	0.2	0.0	0.2
SDDSC077B	405.40	406.15	0.8	0.2	0.0	0.2
SDDSC077B	406.15	406.92	0.8	0.1	0.0	0.1
SDDSC077B	406.92	407.65	0.7	0.1	0.0	0.2
SDDSC077B	407.65	408.00	0.4	574.0	12.4	593.6
SDDSC077B	408.00	408.33	0.3	0.7	0.0	0.7
SDDSC077B	408.33	409.02	0.7	0.2	0.0	0.2
SDDSC077B	409.02	409.98	1.0	0.3	0.0	0.3
SDDSC077B	409.98	410.40	0.4	0.5	0.1	0.7
SDDSC077B	411.05	411.64	0.6	0.4	0.0	0.4
SDDSC077B	411.64	412.09	0.5	1.6	0.1	1.7
SDDSC077B	412.09	413.00	0.9	0.6	0.0	0.6
SDDSC077B	413.82	414.85	1.0	0.2	0.0	0.2
SDDSC077B	416.00	417.00	1.0	0.1	0.0	0.2
SDDSC077B	417.00	418.00	1.0	1.0	0.1	1.0
SDDSC077B	418.50	418.85	0.4	0.6	0.0	0.7
SDDSC077B	418.85	419.26	0.4	0.7	0.1	0.8
SDDSC077B	419.26	420.15	0.9	0.0	0.0	0.1
SDDSC077B	420.15	421.10	1.0	0.3	0.0	0.4
SDDSC077B	421.10	421.70	0.6	0.4	0.1	0.5
SDDSC077B	421.70	422.08	0.4	0.0	0.0	0.1
SDDSC077B	422.08	422.47	0.4	144.0	7.8	156.3
SDDSC077B	422.47	422.83	0.4	1.1	0.4	1.7
SDDSC077B	422.83	423.60	0.8	5.0	0.1	5.1
SDDSC077B	423.60	424.50	0.9	0.0	0.1	0.1
SDDSC077B	425.96	426.75	0.8	0.3	0.0	0.3
SDDSC077B	426.75	427.10	0.4	1.1	0.0	1.2
SDDSC077B	427.10	427.80	0.7	0.0	0.0	0.1
SDDSC077B	427.80	428.20	0.4	1.8	0.2	2.1
SDDSC077B	428.20	428.58	0.4	17.3	4.2	24.0
SDDSC077B	428.58	429.20	0.6	0.2	0.1	0.3
SDDSC077B	430.10	430.75	0.7	0.9	0.0	1.0
SDDSC077B	431.20	431.85	0.7	0.4	0.1	0.6
SDDSC077B	431.85	432.20	0.4	0.3	0.0	0.4
SDDSC077B	433.00	434.00	1.0	0.4	0.0	0.4
SDDSC077B	434.00	435.00	1.0	3.1	0.1	3.2
SDDSC077B	435.00	436.00	1.0	1.1	0.0	1.2
SDDSC077B	436.00	437.00	1.0	0.4	0.1	0.5
SDDSC077B	439.00	440.00	1.0	0.1	0.0	0.1
SDDSC077B	440.00	441.00	1.0	0.5	0.1	0.7
SDDSC077B	445.15	445.45	0.3	101.0	15.0	124.7
SDDSC077B	445.45	445.84	0.4	35.5	34.8	90.5



SDDSC077B	445.84	446.07	0.2	85.9	27.7	129.7
SDDSC077B	446.07	446.55	0.5	61.2	36.3	118.6
SDDSC077B	446.55	447.00	0.5	0.8	0.2	1.1
SDDSC077B	448.00	449.00	1.0	0.4	0.0	0.4
SDDSC077B	449.00	449.74	0.7	0.4	0.0	0.4
SDDSC077B	449.74	450.01	0.3	12.1	26.5	54.0
SDDSC077B	450.01	450.65	0.6	0.2	0.0	0.2
SDDSC077B	458.70	459.05	0.4	0.4	0.3	0.9
SDDSC077B	459.05	459.55	0.5	0.2	0.1	0.3
SDDSC077B	459.55	459.90	0.4	0.9	0.1	1.0
SDDSC077B	459.90	460.20	0.3	14.3	0.0	14.3
SDDSC077B	460.20	460.50	0.3	0.9	0.0	1.0
SDDSC077B	460.50	461.05	0.6	0.8	0.0	0.8
SDDSC077B	461.05	462.00	1.0	0.1	0.0	0.1
SDDSC077B	462.00	462.80	0.8	0.2	0.0	0.2
SDDSC077B	468.80	469.50	0.7	0.0	0.1	0.1
SDDSC077B	472.25	473.05	0.8	0.0	0.0	0.1
SDDSC077B	477.95	478.29	0.3	0.4	0.1	0.6
SDDSC077B	479.29	479.93	0.6	0.7	0.9	2.1
SDDSC077B	479.93	480.35	0.4	0.1	0.0	0.2
SDDSC077B	480.35	480.55	0.2	1.0	0.9	2.4
SDDSC077B	480.55	481.40	0.9	0.3	0.1	0.5
SDDSC077B	481.40	481.72	0.3	1.5	0.9	2.9
SDDSC077B	481.72	482.41	0.7	0.3	0.1	0.4
SDDSC077B	482.41	483.50	1.1	0.2	0.0	0.2
SDDSC077B	483.50	484.00	0.5	0.5	0.1	0.7
SDDSC077B	484.00	484.40	0.4	3.5	0.0	3.6
SDDSC077B	484.40	485.00	0.6	0.9	0.1	1.0
SDDSC077B	485.00	485.90	0.9	0.4	0.0	0.4
SDDSC077B	485.90	486.20	0.3	1.7	0.5	2.5
SDDSC077B	486.60	486.90	0.3	3.7	1.1	5.5
SDDSC077B	486.90	487.41	0.5	0.9	0.5	1.8
SDDSC077B	487.41	487.82	0.4	28.3	0.6	29.2
SDDSC077B	488.47	488.89	0.4	1.6	0.4	2.3
SDDSC077B	488.89	489.52	0.6	0.2	0.2	0.5
SDDSC077B	489.52	490.34	0.8	0.2	0.1	0.3
SDDSC077B	490.34	491.10	0.8	0.2	0.1	0.3
SDDSC077B	491.10	491.90	0.8	0.9	0.2	1.2
SDDSC077B	491.90	492.35	0.5	20.9	0.0	21.0
SDDSC077B	492.35	492.70	0.4	1.8	0.2	2.1
SDDSC077B	492.70	493.25	0.6	0.4	0.0	0.4
SDDSC077B	493.25	493.90	0.7	0.2	0.1	0.4
SDDSC077B	493.90	494.60	0.7	0.1	0.0	0.1

SDDSC077B	494.60	494.82	0.2	1.1	0.5	1.9
SDDSC077B	494.82	495.87	1.1	0.1	0.0	0.2
SDDSC077B	495.87	496.85	1.0	0.2	0.1	0.2
SDDSC077B	496.85	497.80	1.0	0.8	0.2	1.1
SDDSC077B	497.80	498.50	0.7	0.7	0.1	0.8
SDDSC077B	498.50	498.83	0.3	16.4	11.7	34.9
SDDSC077B	498.83	499.50	0.7	7.0	3.2	12.1
SDDSC077B	499.50	500.50	1.0	0.4	0.3	0.9
SDDSC077B	500.50	500.90	0.4	1.9	0.1	2.1
SDDSC077B	500.90	501.10	0.2	168.0	9.6	183.2
SDDSC077B	501.10	501.50	0.4	1.1	0.4	1.6
SDDSC077B	501.50	501.90	0.4	0.6	0.0	0.7
SDDSC077B	501.90	503.00	1.1	0.3	0.1	0.5
SDDSC077B	503.00	504.00	1.0	0.0	0.0	0.1
SDDSC077B	504.00	505.25	1.3	0.8	0.0	0.9
SDDSC077B	506.15	506.55	0.4	0.5	0.1	0.7
SDDSC077B	506.55	506.85	0.3	5.5	0.4	6.1
SDDSC077B	507.85	508.20	0.4	1.8	0.5	2.6
SDDSC077B	508.20	509.00	0.8	0.0	0.0	0.1
SDDSC077B	509.30	509.70	0.4	1.3	0.2	1.5
SDDSC077B	509.70	510.34	0.6	0.1	0.0	0.2
SDDSC077B	511.10	511.76	0.7	0.2	0.1	0.4
SDDSC077B	514.55	514.85	0.3	0.1	0.1	0.4
SDDSC077B	514.85	515.30	0.5	0.2	0.0	0.2
SDDSC077B	515.30	515.75	0.5	0.2	0.0	0.2
SDDSC077B	517.00	517.80	0.8	0.3	0.1	0.4
SDDSC077B	518.70	519.25	0.6	0.2	0.1	0.3
SDDSC077B	519.25	519.70	0.5	5.0	3.3	10.3
SDDSC077B	519.70	520.05	0.4	1.2	0.7	2.4
SDDSC077B	520.05	520.35	0.3	0.3	0.6	1.3
SDDSC077B	520.35	520.70	0.4	1.3	0.5	2.1
SDDSC077B	521.50	521.80	0.3	0.6	0.4	1.3
SDDSC077B	523.40	523.70	0.3	0.3	0.0	0.3
SDDSC077B	524.25	524.42	0.2	31.2	0.9	32.7
SDDSC077B	524.42	525.20	0.8	0.1	0.1	0.2
SDDSC077B	525.20	525.35	0.2	0.2	0.1	0.3
SDDSC077B	526.05	526.20	0.2	4.8	0.7	5.9
SDDSC077B	526.20	526.70	0.5	10.4	2.0	13.6
SDDSC077B	526.70	526.95	0.3	0.0	0.0	0.1
SDDSC077B	526.95	527.30	0.4	0.2	0.2	0.5
SDDSC077B	527.30	528.15	0.9	0.2	0.1	0.4
SDDSC077B	528.15	528.41	0.3	4.8	1.3	6.9
SDDSC077B	528.41	528.67	0.3	5.9	1.8	8.8

SDDSC077B	528.67	529.16	0.5	0.5	0.3	1.0
SDDSC077B	529.16	529.31	0.2	2.5	1.5	4.8
SDDSC077B	529.31	529.46	0.2	1.0	0.0	1.0
SDDSC077B	529.46	529.80	0.3	3.7	5.4	12.2
SDDSC077B	529.80	529.95	0.2	1.8	1.0	3.4
SDDSC077B	529.95	530.40	0.5	0.1	0.0	0.1
SDDSC077B	530.40	530.70	0.3	0.0	0.0	0.1
SDDSC077B	530.70	531.00	0.3	0.3	0.4	0.9
SDDSC077B	531.00	531.30	0.3	0.5	0.2	0.8
SDDSC077B	531.30	531.60	0.3	0.2	0.1	0.4
SDDSC077B	531.60	531.90	0.3	1.4	2.9	6.0
SDDSC077B	532.50	532.80	0.3	2.1	1.6	4.6
SDDSC077B	532.80	533.10	0.3	3.0	5.4	11.5
SDDSC077B	533.10	533.40	0.3	0.7	0.9	2.0
SDDSC077B	533.40	534.05	0.7	0.3	0.0	0.4
SDDSC077B	534.05	534.60	0.6	0.5	0.5	1.3
SDDSC077B	534.93	535.23	0.3	0.1	0.1	0.3
SDDSC077B	535.53	535.78	0.3	3.8	0.1	3.9
SDDSC077B	535.78	536.16	0.4	10.7	5.2	18.9
SDDSC077B	538.70	539.10	0.4	0.1	0.0	0.1
SDDSC077B	542.35	542.85	0.5	0.1	0.1	0.2
SDDSC077B	543.20	543.75	0.6	0.1	0.0	0.1
SDDSC077B	544.35	544.85	0.5	0.1	0.0	0.1
SDDSC077B	544.85	545.25	0.4	0.9	0.1	1.0
SDDSC077B	545.25	545.64	0.4	0.1	0.0	0.2
SDDSC077B	545.64	546.25	0.6	7.1	0.2	7.4
SDDSC077B	546.25	546.85	0.6	0.2	0.1	0.3
SDDSC077B	546.85	547.30	0.5	0.1	0.0	0.1
SDDSC077B	547.30	547.85	0.6	0.7	0.1	0.8
SDDSC077B	552.85	553.70	0.9	0.1	0.0	0.1
SDDSC077B	553.70	554.25	0.6	1.8	0.5	2.6
SDDSC077B	555.20	555.60	0.4	0.5	0.1	0.7
SDDSC077B	556.15	556.50	0.4	2.4	0.8	3.7
SDDSC077B	556.50	557.40	0.9	0.5	0.2	0.7
SDDSC077B	557.40	557.80	0.4	0.4	0.1	0.6
SDDSC077B	557.80	558.50	0.7	0.1	0.0	0.1
SDDSC077B	558.50	559.00	0.5	1.9	0.0	1.9
SDDSC077B	559.00	559.60	0.6	0.1	0.0	0.1
SDDSC077B	562.20	562.55	0.4	0.1	0.0	0.1
SDDSC077B	562.85	563.10	0.3	0.0	0.9	1.4
SDDSC077B	563.10	563.45	0.4	0.3	0.1	0.5
SDDSC077B	563.45	563.75	0.3	0.1	0.0	0.2
SDDSC077B	564.30	564.90	0.6	0.0	0.0	0.1

SDDSC077B	564.90	565.35	0.5	0.1	0.4	0.7
SDDSC077B	568.43	568.50	0.1	0.1	17.0	27.0
SDDSC077B	568.50	569.00	0.5	0.0	0.1	0.2
SDDSC077B	573.00	573.85	0.9	0.3	0.0	0.3
SDDSC077B	573.85	573.98	0.1	1.9	1.9	4.9
SDDSC077B	573.98	574.35	0.4	11.3	55.8	99.5
SDDSC077B	574.35	574.60	0.3	2.4	22.3	37.6
SDDSC077B	574.60	575.40	0.8	2.1	3.0	6.7
SDDSC077B	575.40	576.22	0.8	0.9	0.8	2.1
SDDSC077B	576.22	576.60	0.4	24.5	0.8	25.7
SDDSC077B	576.60	577.16	0.6	0.6	0.1	0.8
SDDSC077B	577.16	577.50	0.3	0.3	0.1	0.4
SDDSC077B	577.50	578.16	0.7	0.3	0.0	0.4
SDDSC077B	578.16	579.08	0.9	0.4	0.2	0.6
SDDSC077B	579.08	579.25	0.2	0.9	0.4	1.5
SDDSC077B	579.25	579.45	0.2	0.5	0.0	0.6
SDDSC077B	579.45	580.06	0.6	0.1	0.0	0.2
SDDSC077B	582.40	582.90	0.5	0.1	0.0	0.1
SDDSC077B	611.74	612.00	0.3	0.3	0.0	0.3
SDDSC077B	614.12	614.40	0.3	2.3	1.2	4.2
SDDSC077B	614.40	614.90	0.5	0.1	0.0	0.1
SDDSC077B	614.90	615.05	0.2	0.2	0.2	0.5
SDDSC077B	615.05	615.40	0.4	0.1	0.0	0.2
SDDSC077B	631.00	632.00	1.0	0.2	0.0	0.2
SDDSC077B	635.00	636.00	1.0	0.4	0.0	0.4
SDDSC077B	673.91	674.41	0.5	0.0	0.0	0.1
SDDSC077B	699.00	699.50	0.5	0.1	0.0	0.1
SDDSC077B	699.50	699.88	0.4	0.3	0.0	0.3
SDDSC077B	699.88	700.14	0.3	0.2	0.0	0.2
SDDSC077B	700.14	700.83	0.7	18.2	0.7	19.4
SDDSC077B	700.83	701.20	0.4	0.8	0.6	1.8
SDDSC077B	701.20	701.56	0.4	0.1	0.0	0.2
SDDSC077B	716.00	717.00	1.0	0.2	0.2	0.4
SDDSC077B	717.00	718.00	1.0	0.1	0.1	0.1
SDDSC077B	718.00	718.37	0.4	0.1	0.0	0.1
SDDSC077B	718.37	718.86	0.5	0.3	0.0	0.3
SDDSC077B	722.38	723.43	1.1	0.6	0.0	0.6
SDDSC077B	725.00	725.50	0.5	0.1	0.0	0.2
SDDSC077B	725.50	726.00	0.5	0.2	0.0	0.2
SDDSC077B	728.90	729.72	0.8	0.1	0.0	0.1
SDDSC077B	733.00	733.46	0.5	0.2	0.0	0.2
SDDSC077B	733.46	733.80	0.3	0.2	0.0	0.2
SDDSC077B	733.80	734.05	0.3	0.5	0.0	0.5

SDDSC077B	734.05	734.70	0.7	0.0	0.0	0.1
SDDSC077B	735.00	735.45	0.5	0.9	0.0	0.9
SDDSC077B	735.45	736.32	0.9	0.1	0.0	0.1
SDDSC077B	737.12	737.40	0.3	17.4	0.2	17.7
SDDSC077B	737.40	737.70	0.3	1.9	0.5	2.8
SDDSC077B	737.70	737.96	0.3	1.9	0.1	2.0
SDDSC077B	737.96	738.25	0.3	16.4	0.0	16.5
SDDSC077B	738.25	738.75	0.5	1.1	0.1	1.2
SDDSC077B	738.75	739.27	0.5	0.2	0.0	0.2
SDDSC077B	739.27	739.60	0.3	1.3	0.0	1.3
SDDSC077B	739.60	739.93	0.3	1.5	0.0	1.5
SDDSC077B	739.93	740.32	0.4	731.0	0.1	731.2
SDDSC077B	740.32	740.74	0.4	2670.0	6.2	2679.8
SDDSC077B	740.74	741.30	0.6	0.2	0.0	0.2
SDDSC077B	741.30	741.77	0.5	0.1	0.0	0.1
SDDSC077B	741.77	742.58	0.8	0.1	0.0	0.1
SDDSC077B	746.77	747.07	0.3	4.9	0.0	4.9
SDDSC077B	749.10	749.60	0.5	0.6	0.0	0.6
SDDSC077B	750.50	751.40	0.9	0.1	0.0	0.1
SDDSC077B	751.73	752.40	0.7	0.1	0.0	0.1
SDDSC077B	752.40	752.70	0.3	11.7	0.0	11.7
SDDSC077B	755.70	756.70	1.0	0.1	0.0	0.1
SDDSC077B	756.70	757.70	1.0	0.1	0.0	0.1
SDDSC077B	757.70	758.30	0.6	0.1	0.0	0.1
SDDSC077B	763.55	764.66	1.1	0.2	0.0	0.2
SDDSC077B	764.66	765.23	0.6	0.3	0.0	0.3
SDDSC077B	765.23	765.41	0.2	0.4	0.0	0.4
SDDSC077B	765.41	766.00	0.6	0.2	0.0	0.2
SDDSC077B	766.00	767.00	1.0	0.4	0.0	0.4
SDDSC077B	767.00	767.55	0.6	0.2	0.0	0.2
SDDSC077B	767.55	768.25	0.7	0.3	0.0	0.3
SDDSC077B	768.25	769.15	0.9	0.2	0.0	0.2
SDDSC077B	769.15	769.50	0.4	0.2	0.0	0.2
SDDSC077B	769.50	770.00	0.5	0.1	0.0	0.1
SDDSC077B	770.25	770.50	0.3	0.2	0.0	0.2
SDDSC077B	770.50	770.72	0.2	0.1	0.0	0.1
SDDSC077B	771.45	771.80	0.4	0.1	0.0	0.1
SDDSC077B	774.17	774.48	0.3	0.2	0.0	0.2
SDDSC077B	774.48	774.80	0.3	0.4	0.0	0.4
SDDSC077B	774.80	775.57	0.8	0.2	0.0	0.2
SDDSC077B	775.57	776.30	0.7	0.1	0.0	0.1
SDDSC077B	776.30	776.60	0.3	0.0	0.1	0.1
SDDSC077B	776.60	777.25	0.7	0.1	0.0	0.1

SDDSC077B	777.25	777.42	0.2	5.3	0.0	5.4
SDDSC077B	777.42	778.15	0.7	0.2	0.0	0.3
SDDSC077B	778.15	778.35	0.2	3.5	0.0	3.5
SDDSC077B	778.35	779.10	0.8	0.1	0.0	0.1
SDDSC077B	779.10	779.61	0.5	0.3	0.0	0.3
SDDSC077B	779.61	780.20	0.6	0.1	0.0	0.1
SDDSC077B	781.20	782.16	1.0	0.8	0.0	0.8
SDDSC077B	782.16	783.00	0.8	0.1	0.0	0.1
SDDSC077B	783.00	784.00	1.0	0.1	0.0	0.1
SDDSC077B	784.00	785.00	1.0	0.2	0.0	0.2
SDDSC077B	785.00	786.00	1.0	0.1	0.0	0.1
SDDSC077B	786.00	787.06	1.1	0.2	0.0	0.2
SDDSC077B	787.06	787.60	0.5	0.5	0.0	0.5
SDDSC077B	795.00	795.20	0.2	0.1	0.0	0.1