

SXG Drills 9.3 m @ 94.9 g/t Gold (Uncut)

Hosted within 382 m @ 3.1 g/t Gold (Uncut) that traversed 10 high-grade veins

Assays up to 1,610 g/t Gold, 12 Intersections >20 g/t Gold,

Demonstrates continuity of structure and grade

Rising Sun Area Remains Open with Assays Pending for 15 Holes

Vancouver, Canada — Mawson Gold Limited (“Mawson” or the “Company”) (TSX:MAW) (Frankfurt:MXR) (PINKSHEETS: MWSNF) announces the release of SDDSC092, another spectacularly long intersection with extremely high-grades of gold-antimony mineralization including **9.3 m @ 94.9 g/t Au**, the third best result on the project to date, at the Sunday Creek Project in Victoria, Australia, owned 100% by Southern Cross Gold Ltd. (“Southern Cross Gold” or “SXG”) (Figure 5).

Sunday Creek is 100% owned by Southern Cross Gold (“SXG”), which is an ASX listed company owned 51% by Mawson. Two to four rigs continue to drill over the Christmas period in the main drill area at Sunday Creek where 15 holes (SDDSC093-106, 109) are currently being geologically processed and chemically analyzed, and four holes (SDDSC0107, 108A, 110, 111) are in drill progress (Figures 1-2).

Highlights:

- SDDSC092 drilled at the Rising Sun Prospect included **9.3 m @ 94.9 g/t Au** (the third best result on the project to date) and traversed 10 individual high grade vein sets (Figures 1-3) within a broader interval of **382.3 m @ 3.4 g/t AuEq (3.1 g/t Au, 0.2 %Sb) from 382.3 m (uncut)**. **Twelve intervals have >20 g/t Au (up to 1,610 g/t Au), 20 intervals have >15 g/t Au and 8 intervals have >5% Sb (up to 21.2% Sb)**.
- The hole is a **33 m to 44 m strike extension** on the same horizontal level as the previously reported drillhole SDDSC077B (404.4 m @ 5.6 g/t AuEq (uncut)), which traversed 13 individual high grade vein sets (Figure 3).
- Selected highlights include:
 - 6.2 m @ 4.1 g/t AuEq (2.1 g/t Au, 1.2% Sb) from 406.2 m, including:
 - 0.3 m @ 58.7 g/t AuEq (29.0 g/t Au, 18.8% Sb) from 412.0 m
 - 11.7 m @ 4.4 g/t AuEq (2.8 g/t Au, 1.1% Sb) from 424.3 m, including:
 - 0.6 m @ 78.3 g/t AuEq (48.6 g/t Au, 18.8% Sb) from 427.6 m
 - 5.4 m @ 6.2 g/t AuEq (6.2 g/t Au, 0.0% Sb) from 604.6 m, including:
 - 0.6 m @ 51.8 g/t AuEq (51.7 g/t Au, 0.1% Sb) from 609.0 m
 - **18.3 m @ 5.0 g/t AuEq (4.4 g/t Au, 0.4% Sb) from 655.1 m, including:**
 - **0.2 m @ 173.8 g/t AuEq (160.0 g/t Au, 8.7% Sb) from 655.1 m**
 - **1.2 m @ 27.5 g/t AuEq (27.1 g/t Au, 0.3% Sb) from 668.7 m**
 - **9.3 m @ 95.9 g/t AuEq (94.9 g/t Au, 0.6% Sb) from 677.0 m, including:**
 - **1.8 m @ 489.4 g/t AuEq (484.5 g/t Au, 3.1% Sb) from 683.1 m**

- The Rising Sun area remains open up-dip, down-dip and along strike. 15 holes are currently being processed and analyzed, with 4 holes currently in progress (Figures 1-2).
- Mawson owns 93,750,000 shares of SXG (51%), valuing its stake at A\$105.0 million (C\$93.5 million) based on SXG's closing price on December 13, 2023 AEST.

Noora Ahola, Mawson Interim CEO, states: *"The last three months have been truly outstanding at the Sunday Creek project in Victoria, Australia. Today's release of SDDSC092 contains the third best intersection drilled at the project (9.3 m @ 94.9 g/t Au) with each of the top five results occurring since September."*

"Drilled to test the strike extensions of the high-grade vein sets at the Rising Sun area, SDDSC092 demonstrated greater volume at the property with a 33 m to 44 m strike extension along the "rungs of the ladder" from SDDSC077B, which was released in September and intersected 13 high-grade veins over 404.4 m @ 5.6 g/t AuEq (uncut)."

"Although the summer holiday season is approaching in Australia, we expect a continuous flow of news from Southern Cross Gold which has 15 holes currently in the lab and soon to be released and two to four rigs continuing to drill over the Christmas period."

Results Discussion

SDDSC092 drilled at the Rising Sun Prospect included **9.3 m @ 95.9 g/t AuEq (94.9 g/t Au, 0.6% Sb)** from 677.0 m within a broader interval of **382.3 m @ 3.4 g/t AuEq (3.1 g/t Au, 0.2 %Sb) from 382.3 m (uncut)**. The hole traversed 10 individual high grade vein sets (Figures 1-3). **Twelve intervals have >20 g/t Au (up to 1,610 g/t Au), 20 intervals have >15 g/t Au and 8 intervals have >5% Sb (up to 21.2% Sb).**

SDDSC092 drilled a 33 m to 44 m strike extension of multiple mineralized veins at the same horizontal level as previously reported drillhole SDDSC077B (**404.4 m @ 5.6 g/t AuEq (uncut)**), which traversed 13 individual high grade vein sets (Figures 3). Selected highlights include:

- 32.8 m @ 1.3 g/t AuEq (0.9 g/t Au, 0.2% Sb) from 313.0 m
- 6.2 m @ 4.1 g/t AuEq (2.1 g/t Au, 1.2% Sb) from 406.2 m, including:
 - 0.3 m @ 58.7 g/t AuEq (29.0 g/t Au, 18.8% Sb) from 412.0 m
- 11.7 m @ 4.4 g/t AuEq (2.8 g/t Au, 1.1% Sb) from 424.3 m, including:
 - 0.6 m @ 78.3 g/t AuEq (48.6 g/t Au, 18.8% Sb) from 427.6 m
- 35.4 m @ 1.3 g/t AuEq (1.1 g/t Au, 0.1% Sb) from 453.6 m, including:
 - 1.7 m @ 8.4 g/t AuEq (7.9 g/t Au, 0.3% Sb) from 466.8 m
- 12.1 m @ 2.5 g/t AuEq (2.0 g/t Au, 0.4% Sb) from 566.1 m, including:
 - 0.2 m @ 31.8 g/t AuEq (27.2 g/t Au, 2.9% Sb) from 570.2 m
 - 1.2 m @ 17.0 g/t AuEq (12.6 g/t Au, 2.8% Sb) from 574.2 m
- 5.4 m @ 6.2 g/t AuEq (6.2 g/t Au, 0.0% Sb) from 604.6 m, including:
 - 0.6 m @ 51.8 g/t AuEq (51.7 g/t Au, 0.1% Sb) from 609.0 m
- 0.7 m @ 10.1 g/t AuEq (5.0 g/t Au, 3.2% Sb) from 649.8 m, including:
- **18.3 m @ 5.0 g/t AuEq (4.4 g/t Au, 0.4% Sb) from 655.1 m, including:**
 - **0.2 m @ 173.8 g/t AuEq (160.0 g/t Au, 8.7% Sb) from 655.1 m**
 - **1.2 m @ 27.5 g/t AuEq (27.1 g/t Au, 0.3% Sb) from 668.7 m**
- **9.3 m @ 95.9 g/t AuEq (94.9 g/t Au, 0.6% Sb) from 677.0 m, including:**

- **1.8 m @ 489.4 g/t AuEq (484.5 g/t Au, 3.1% Sb) from 683.1 m**

At these closer spacings the continuity of high-grade mineralized veins sets is encouraging. The very highest-grade interval in SDDSC092 (**0.4 m @ 1,610.0 g/t Au** from 684.5 m) intersected the dyke host in **the RS80 vein**. The closest intersection in the same vein set is SDDSC077B (**0.7 m @ 18.2 g/t Au** from 700.1 m), was drilled in the altered sediment hanging wall and is located 31 m to the NW. Drillhole SDDSC050 (**0.6 m @ 57.6 g/t Au** from 713.9 m) also intersected the RS80 vein 44 m below and 12 m along NW along strike from SDDSC092.

Pending Results and Update

With two to four diamond drill rigs operating at site over the Christmas period, and A\$11.8M cash (as of August 31, 2023) Southern Cross Gold has stated that it anticipates drilling an additional 19,000 m by April 2024.

Fifteen holes (SDDSC093-106, 109) of those holes are currently being processed and analyzed, with four additional holes (SDDSC107, 108A, 110, 111) currently in progress (Figures 1 and 3).

Further discussion and analysis of the Sunday Creek project by Southern Cross Gold is available on the SXG website at www.southerncrossgold.com.au.

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. During future Mineral Resource studies, the requirement for assay top cutting will be assessed.

Figures 1-5 show project location, plan, longitudinal and cross-sectional views of drill results reported here and Tables 1- 3 provide collar and assay data. The true thickness of the mineralized intervals reported are interpreted to be approximately 60% to 70% of the sampled thickness. Lower grades were cut at 0.3 g/t Au lower cutoff over a maximum width of 3 m with higher grades cut at 5.0 g/t Au lower cutoff over a maximum of 1 m width, unless otherwise stated.

Technical Background and Qualified Person

The Qualified Person, Michael Hudson, Executive Chairman and a director of Mawson Gold, and a Fellow of the Australasian Institute of Mining and Metallurgy, has reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

MAW considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXG considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its Mandalay Technical Report, 2022 dated March 25, 2022. The gold equivalence formula used by Mandalay Resources was calculated using recoveries achieved at the Costerfield Property Brunswick Processing Plant during 2020, using a gold price of US\$1,700 per ounce, an antimony price of US\$8,500 per tonne and 2021 total year metal recoveries of 93% for gold and 95% for antimony, and is as follows: $AuEq = Au (g/t) + 1.58 \times Sb (\%)$.

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXG considers that a $AuEq = Au (g/t) + 1.58 \times Sb (\%)$ is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

About Mawson Gold Limited (TSX:MAW, FRANKFURT:MXR, OTC:PINK:MWSNF)

[Mawson Gold Limited](#) has distinguished itself as a leading Nordic exploration company. Over the last decades, the team behind Mawson has forged a long and successful record of discovering, financing, and advancing mineral projects in the Nordics and Australia, including the Rajapalot Au-Co PEA-stage project in Finland, the Skellefteå Au discovery and a portfolio of historic uranium resources in Sweden. Mawson also currently holds 51% of Southern Cross Gold Ltd. (ASX:SXG) which owns or controls three high-grade, historic epizonal goldfields covering 470 km² in Victoria, Australia, including the Sunday Creek Au-Sb asset.

About Southern Cross Gold Ltd (ASX:SXG)

[Southern Cross Gold](#) holds the 100%-owned Sunday Creek project in Victoria and Mt Isa project in Queensland, the Redcastle and Whroo joint ventures in Victoria, Australia, and a strategic 10% holding in ASX-listed Nagambie Resources Limited (ASX:NAG) which grants SXG a Right of First Refusal over a 3,300 square kilometer tenement package held by NAG in Victoria.

On behalf of the Board,

"Noora Ahola"
Noora Ahola, Interim CEO

Further Information

www.mawsongold.com

1305 – 1090 West Georgia St., Vancouver, BC, V6E 3V7
Mariana Bermudez (Canada), Corporate Secretary
+1 (604) 685 9316 info@mawsongold.com

Forward-Looking Statement

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, Mawson's expectations regarding its ownership interest in Southern Cross Gold, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises, including COVID-19, on the Company's business, risks related to negative publicity with respect to the Company or the mining industry in general; exploration potential being conceptual in nature, there being insufficient exploration to define a mineral resource on the Australian-projects owned by SXG, and uncertainty if further exploration will result in the determination of a mineral resource; planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on [SEDAR](#). Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Figure 1: Sunday Creek plan view showing SDDSC092 reported here (grey box), selected prior reported drill holes and pending holes. For location see Figure 4.




Figure 2: Sunday Creek longitudinal section across A-B the plane of the dyke breccia/altered sediment host (see Figure 1) looking towards the north (striking 327 degrees) showing mineralized veins sets. Showing SDDSC092 reported here and prior reported drill holes.




Figure 3: Sunday Creek inclined plan with 50 m influence looking down the plane of SDDSC092 (reported here) and SDDSC077 and SDDSC050.

Drill holes SDDSC077B and SDDSC092 lie at the same horizontal level while SDDSC050 is located 50 m below both these holes. The very highest-grade interval in SDDSC092 (0.4 m @ 1,610.0 g/t Au from 684.5 m) intersected the dyke host in the RS80 vein. The closest intersection in the same vein set is SDDSC077B (0.7 m @ 18.2 g/t Au from 700.1 m), was drilled in the altered sediment hanging wall and is located 31 m to the NW. Drillhole SDDSC050 (0.6 m @ 57.6 g/t Au from 713.9 m) also intersected the RS80 vein 44 m below and 12 m along NW along strike from SDDSC092.




Figure 4: Sunday Creek regional plan view showing LiDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas (Tonstal, Consols and Leviathan) tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo.




Figure 5: Location of the Sunday Creek project, along with SXG's other Victoria projects and simplified geology.




Table 1: Drill collar summary table for recent drill holes in progress.

| Hole_ID | Depth (m) | Prospect | East GDA94_Z55 | North GDA94_Z55 | Elevation | Azimuth | Plunge |
|-----------|------------------------|------------|----------------|-----------------|-----------|---------|--------|
| SDDSC092 | 803.8 | Rising Sun | 330537 | 5867882 | 295.5 | 79.0 | -60 |
| SDDSC093 | 610.9 | Rising Sun | 331291 | 5867823 | 316.8 | 271 | -47.5 |
| SDDSC094 | 23.3 | Rising Sun | 330639 | 5867846 | 306.2 | 68.5 | -56 |
| SDDSC094A | 359.6 | Rising Sun | 330639 | 5867846 | 306.1 | 68.5 | -56 |
| SDDSC095 | 368.3 | Apollo | 331291 | 5867823 | 316.8 | 271 | -53 |
| SDDSC096 | 347.9 | Rising Sun | 330639 | 5867846 | 306.1 | 68 | -63.5 |
| SDDSC097 | 62.3 | Apollo | 331291 | 5867823 | 316.8 | 276 | -50.5 |
| SDDSC097A | 575 | Apollo | 331291 | 5867823 | 316.8 | 277 | -50 |
| SDDSC098 | 278.5 | Rising Sun | 330639 | 5867846 | 306.1 | 72 | -48.5 |
| SDDSC099 | 284.7 | Rising Sun | 330639 | 5867846 | 306.1 | 71.5 | -58.5 |
| SDDSC100 | 1042 | Rising Sun | 330482 | 5867891 | 289.5 | 74.5 | -64 |
| SDDSC101 | 181.5 | Rising Sun | 330639 | 5867846 | 306.1 | 63 | -37 |
| SDDSC102 | 596.8 | Rising Sun | 330537 | 5867883 | 295.5 | 75 | -59 |
| SDDSC103 | 260.6 | Rising Sun | 330639 | 5867847 | 306.1 | 53 | -53 |
| SDDSC104 | 595.2 | Rising Sun | 330639 | 5867847 | 306.1 | 64.5 | -65.7 |
| SDDSC105 | 353.6 | Apollo | 331291 | 5867823 | 316.8 | 275.3 | -55.2 |
| SDDSC106 | 653.5 | Apollo | 331291 | 5867823 | 316.8 | 279.5 | -53 |
| SDDSC107 | In progress plan 860 m | Rising Sun | 330537 | 5867883 | 295.5 | 77.5 | -62 |
| SDDSC108A | In progress plan 900 m | Apollo | 331464 | 5867865 | 333 | 272.5 | -50 |
| SDDSC109 | 520.9 | Apollo | 331291 | 5867823 | 316.8 | 273.5 | -44.5 |
| SDDSC110 | In progress plan 700 m | Rising Sun | 330482 | 5867892 | 289.5 | 78 | -66 |
| SDDSC111 | In progress plan 510 m | Apollo | 331291 | 5867823 | 316.8 | 270 | -38 |

Table 2: Tables of mineralized drill hole intersections reported from SDDSC092 using two cut-off criteria. Lower grades cut at 0.3 g/t Au lower cutoff over a maximum of 3 m with higher grades cut at 5.0 g/t Au cutoff over a maximum of 1 m.

| Hole-ID | From (m) | To (m) | Length (m) | Au g/t | Sb% | AuEq g/t |
|-----------|----------|--------|------------|--------|------|----------|
| SDDSC092 | 313.00 | 345.82 | 32.8 | 0.9 | 0.2 | 1.3 |
| including | 314.00 | 315.00 | 1.0 | 4.5 | 0.4 | 5.1 |
| including | 335.92 | 336.95 | 1.0 | 3.9 | 1.8 | 6.8 |
| including | 344.35 | 344.85 | 0.5 | 10.6 | 0.0 | 10.7 |
| SDDSC092 | 396.60 | 396.95 | 0.3 | 0.3 | 5.2 | 8.6 |
| SDDSC092 | 402.55 | 402.85 | 0.3 | 9.9 | 20.2 | 41.8 |
| SDDSC092 | 406.15 | 412.30 | 6.2 | 2.1 | 1.2 | 4.1 |
| including | 408.30 | 408.60 | 0.3 | 9.2 | 4.2 | 15.9 |
| including | 411.98 | 412.30 | 0.3 | 29.0 | 18.8 | 58.7 |
| SDDSC092 | 424.30 | 436.00 | 11.7 | 2.8 | 1.1 | 4.4 |
| including | 427.55 | 428.10 | 0.6 | 48.6 | 18.8 | 78.3 |
| SDDSC092 | 453.60 | 489.00 | 35.4 | 1.1 | 0.1 | 1.3 |
| including | 461.40 | 461.70 | 0.3 | 7.7 | 0.5 | 8.5 |
| including | 466.80 | 468.50 | 1.7 | 7.9 | 0.3 | 8.4 |
| including | 479.00 | 479.84 | 0.8 | 10.7 | 0.1 | 10.9 |
| including | 485.00 | 485.40 | 0.4 | 0.6 | 2.8 | 5.1 |
| SDDSC092 | 549.35 | 549.50 | 0.1 | 2.2 | 2.9 | 6.7 |
| SDDSC092 | 566.13 | 578.23 | 12.1 | 2.0 | 0.4 | 2.5 |
| including | 570.21 | 570.40 | 0.2 | 27.2 | 2.9 | 31.8 |
| including | 574.18 | 575.37 | 1.2 | 12.6 | 2.8 | 17.0 |
| SDDSC092 | 583.95 | 584.15 | 0.2 | 1.5 | 4.3 | 8.3 |
| SDDSC092 | 604.60 | 610.00 | 5.4 | 6.2 | 0.0 | 6.2 |
| including | 604.60 | 605.00 | 0.4 | 7.0 | 0.3 | 7.6 |
| including | 609.00 | 609.58 | 0.6 | 51.7 | 0.1 | 51.8 |
| SDDSC092 | 649.80 | 650.50 | 0.7 | 5.0 | 3.2 | 10.1 |
| SDDSC092 | 655.10 | 673.40 | 18.3 | 4.4 | 0.4 | 5.0 |
| including | 655.10 | 655.30 | 0.2 | 160.0 | 8.7 | 173.8 |
| including | 657.70 | 658.30 | 0.6 | 6.3 | 1.1 | 8.1 |
| including | 661.00 | 661.18 | 0.2 | 1.0 | 4.6 | 8.2 |
| including | 662.75 | 662.97 | 0.2 | 7.3 | 7.5 | 19.1 |
| including | 668.70 | 669.90 | 1.2 | 27.1 | 0.3 | 27.5 |
| SDDSC092 | 677.00 | 686.29 | 9.3 | 94.9 | 0.6 | 95.9 |
| including | 683.07 | 684.88 | 1.8 | 484.5 | 3.1 | 489.4 |

Table 3: All individual assays reported from SDDSC092 reported here >0.1g/t AuEq.

| Hole-ID | From | To | Length | Au g/t | Sb% | AuEq g/t |
|----------|--------|--------|--------|--------|-----|----------|
| SDDSC092 | 295.05 | 295.35 | 0.3 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 303.95 | 304.25 | 0.3 | 3.3 | 2.4 | 7.2 |
| SDDSC092 | 304.25 | 305.00 | 0.8 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 305.00 | 306.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 306.00 | 307.00 | 1.0 | 0.3 | 0.1 | 0.5 |
| SDDSC092 | 307.00 | 308.00 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 308.00 | 309.00 | 1.0 | 0.4 | 1.2 | 2.2 |
| SDDSC092 | 309.00 | 310.00 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 311.00 | 312.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 313.00 | 314.00 | 1.0 | 0.9 | 0.0 | 0.9 |
| SDDSC092 | 314.00 | 315.00 | 1.0 | 4.5 | 0.4 | 5.1 |
| SDDSC092 | 316.00 | 317.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 317.00 | 318.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 318.00 | 318.90 | 0.9 | 0.9 | 0.1 | 1.0 |
| SDDSC092 | 318.90 | 319.40 | 0.5 | 0.9 | 2.5 | 4.9 |
| SDDSC092 | 319.40 | 320.00 | 0.6 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 320.00 | 321.00 | 1.0 | 1.8 | 0.0 | 1.8 |
| SDDSC092 | 321.00 | 322.00 | 1.0 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 322.00 | 323.00 | 1.0 | 1.3 | 0.1 | 1.5 |
| SDDSC092 | 323.00 | 324.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 324.00 | 324.40 | 0.4 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 324.40 | 324.82 | 0.4 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 324.82 | 325.30 | 0.5 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 325.30 | 326.00 | 0.7 | 0.2 | 0.1 | 0.4 |
| SDDSC092 | 326.00 | 326.50 | 0.5 | 0.4 | 0.1 | 0.6 |
| SDDSC092 | 326.50 | 326.90 | 0.4 | 0.0 | 0.1 | 0.2 |
| SDDSC092 | 326.90 | 327.52 | 0.6 | 1.4 | 0.6 | 2.3 |
| SDDSC092 | 327.52 | 327.85 | 0.3 | 0.4 | 1.3 | 2.5 |
| SDDSC092 | 327.85 | 328.15 | 0.3 | 0.1 | 2.6 | 4.3 |
| SDDSC092 | 328.15 | 328.65 | 0.5 | 0.1 | 1.2 | 2.0 |
| SDDSC092 | 328.65 | 329.08 | 0.4 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 329.08 | 330.02 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 330.02 | 330.70 | 0.7 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 330.70 | 331.10 | 0.4 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 331.10 | 331.60 | 0.5 | 0.2 | 1.0 | 1.8 |
| SDDSC092 | 331.60 | 332.00 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 332.45 | 332.75 | 0.3 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 333.30 | 333.50 | 0.2 | 0.5 | 0.1 | 0.6 |
| SDDSC092 | 333.50 | 333.98 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 333.98 | 334.18 | 0.2 | 0.9 | 0.0 | 1.0 |
| SDDSC092 | 334.18 | 334.62 | 0.4 | 0.3 | 0.0 | 0.4 |

| | | | | | | |
|----------|--------|--------|-----|------|-----|------|
| SDDSC092 | 334.62 | 334.92 | 0.3 | 0.1 | 0.1 | 0.2 |
| SDDSC092 | 334.92 | 335.30 | 0.4 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 335.30 | 335.62 | 0.3 | 0.1 | 0.1 | 0.2 |
| SDDSC092 | 335.62 | 335.92 | 0.3 | 3.0 | 0.1 | 3.3 |
| SDDSC092 | 335.92 | 336.32 | 0.4 | 2.9 | 4.2 | 9.5 |
| SDDSC092 | 336.32 | 336.65 | 0.3 | 2.0 | 0.1 | 2.1 |
| SDDSC092 | 336.65 | 336.95 | 0.3 | 7.4 | 0.5 | 8.2 |
| SDDSC092 | 336.95 | 337.30 | 0.4 | 0.6 | 0.0 | 0.7 |
| SDDSC092 | 337.30 | 337.70 | 0.4 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 337.70 | 338.12 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 338.12 | 338.43 | 0.3 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 339.00 | 339.57 | 0.6 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 339.57 | 339.95 | 0.4 | 1.2 | 0.0 | 1.2 |
| SDDSC092 | 339.95 | 340.30 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 340.30 | 340.60 | 0.3 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 340.60 | 341.00 | 0.4 | 1.4 | 0.1 | 1.5 |
| SDDSC092 | 341.00 | 341.35 | 0.4 | 1.7 | 0.5 | 2.5 |
| SDDSC092 | 341.35 | 341.65 | 0.3 | 2.0 | 0.5 | 2.7 |
| SDDSC092 | 341.65 | 342.13 | 0.5 | 1.8 | 0.1 | 2.0 |
| SDDSC092 | 342.13 | 342.53 | 0.4 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 343.35 | 343.75 | 0.4 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 343.75 | 344.35 | 0.6 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 344.35 | 344.85 | 0.5 | 10.6 | 0.0 | 10.7 |
| SDDSC092 | 344.85 | 345.15 | 0.3 | 0.9 | 0.8 | 2.1 |
| SDDSC092 | 345.15 | 345.40 | 0.3 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 345.40 | 345.82 | 0.4 | 0.7 | 0.7 | 1.8 |
| SDDSC092 | 345.82 | 346.55 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 346.55 | 347.20 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 350.35 | 350.75 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 350.75 | 351.30 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 351.30 | 351.60 | 0.3 | 0.8 | 0.9 | 2.1 |
| SDDSC092 | 365.45 | 366.30 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 366.30 | 367.00 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 374.60 | 375.60 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 377.20 | 377.55 | 0.4 | 0.6 | 0.0 | 0.6 |
| SDDSC092 | 378.00 | 378.30 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 380.80 | 381.10 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 381.10 | 381.45 | 0.4 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 384.40 | 384.85 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 384.85 | 385.60 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 385.60 | 386.00 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 386.00 | 387.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 390.70 | 391.33 | 0.6 | 0.1 | 0.0 | 0.1 |

| | | | | | | |
|----------|--------|--------|-----|------|------|------|
| SDDSC092 | 391.33 | 391.95 | 0.6 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 391.95 | 392.35 | 0.4 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 392.35 | 392.60 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 396.30 | 396.60 | 0.3 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 396.60 | 396.95 | 0.4 | 0.3 | 5.2 | 8.6 |
| SDDSC092 | 396.95 | 397.50 | 0.6 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 397.50 | 398.00 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 398.00 | 398.30 | 0.3 | 2.9 | 0.3 | 3.4 |
| SDDSC092 | 398.30 | 399.05 | 0.8 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 399.85 | 400.40 | 0.6 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 400.40 | 400.75 | 0.4 | 1.3 | 0.3 | 1.8 |
| SDDSC092 | 402.55 | 402.85 | 0.3 | 9.9 | 20.2 | 41.8 |
| SDDSC092 | 402.85 | 403.37 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 403.37 | 404.25 | 0.9 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 405.20 | 406.15 | 1.0 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 406.15 | 407.15 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 407.15 | 407.65 | 0.5 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 408.30 | 408.60 | 0.3 | 9.2 | 4.2 | 15.9 |
| SDDSC092 | 408.60 | 409.10 | 0.5 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 409.10 | 409.40 | 0.3 | 0.4 | 0.9 | 1.7 |
| SDDSC092 | 411.10 | 411.98 | 0.9 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 411.98 | 412.30 | 0.3 | 29.0 | 18.8 | 58.7 |
| SDDSC092 | 413.52 | 414.50 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 414.50 | 415.20 | 0.7 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 416.30 | 416.85 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 416.85 | 417.70 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 417.70 | 418.25 | 0.6 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 419.10 | 419.50 | 0.4 | 3.9 | 1.0 | 5.4 |
| SDDSC092 | 419.50 | 419.95 | 0.5 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 420.60 | 420.90 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 420.90 | 421.20 | 0.3 | 0.6 | 0.0 | 0.6 |
| SDDSC092 | 421.85 | 422.30 | 0.5 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 423.95 | 424.30 | 0.4 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 424.30 | 424.70 | 0.4 | 1.7 | 0.4 | 2.3 |
| SDDSC092 | 424.70 | 425.45 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 425.85 | 426.15 | 0.3 | 1.2 | 0.4 | 1.8 |
| SDDSC092 | 426.15 | 426.80 | 0.7 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 426.80 | 427.10 | 0.3 | 1.0 | 0.1 | 1.1 |
| SDDSC092 | 427.10 | 427.55 | 0.5 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 427.55 | 428.10 | 0.6 | 48.6 | 18.8 | 78.3 |
| SDDSC092 | 428.10 | 428.60 | 0.5 | 2.0 | 1.4 | 4.1 |
| SDDSC092 | 428.60 | 429.05 | 0.5 | 0.4 | 0.1 | 0.6 |
| SDDSC092 | 429.05 | 430.05 | 1.0 | 0.1 | 0.0 | 0.1 |

| | | | | | | |
|----------|--------|--------|-----|-----|-----|-----|
| SDDSC092 | 430.95 | 431.25 | 0.3 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 431.25 | 431.60 | 0.4 | 0.6 | 0.0 | 0.7 |
| SDDSC092 | 431.60 | 431.90 | 0.3 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 431.90 | 432.20 | 0.3 | 0.7 | 0.4 | 1.4 |
| SDDSC092 | 432.20 | 432.65 | 0.5 | 0.5 | 0.4 | 1.2 |
| SDDSC092 | 432.65 | 433.30 | 0.7 | 0.6 | 0.8 | 1.9 |
| SDDSC092 | 433.30 | 433.85 | 0.6 | 0.8 | 0.1 | 0.9 |
| SDDSC092 | 433.85 | 434.50 | 0.7 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 434.50 | 435.05 | 0.6 | 0.7 | 0.1 | 0.7 |
| SDDSC092 | 435.05 | 435.50 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 435.50 | 436.00 | 0.5 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 436.00 | 436.45 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 436.90 | 437.20 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 438.05 | 438.55 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 441.50 | 441.95 | 0.5 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 442.35 | 442.77 | 0.4 | 1.1 | 0.0 | 1.1 |
| SDDSC092 | 442.77 | 443.15 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 443.15 | 443.85 | 0.7 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 443.85 | 444.25 | 0.4 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 444.25 | 444.55 | 0.3 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 444.55 | 445.55 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 445.55 | 446.50 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 447.00 | 448.00 | 1.0 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 448.00 | 449.00 | 1.0 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 449.00 | 449.50 | 0.5 | 0.3 | 0.2 | 0.6 |
| SDDSC092 | 449.50 | 450.50 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 450.50 | 450.75 | 0.3 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 450.75 | 451.00 | 0.3 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 451.00 | 452.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 452.00 | 452.90 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 452.90 | 453.10 | 0.2 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 453.10 | 453.60 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 453.60 | 453.90 | 0.3 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 453.90 | 454.30 | 0.4 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 454.30 | 455.00 | 0.7 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 455.00 | 455.70 | 0.7 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 455.70 | 456.20 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 456.20 | 456.95 | 0.8 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 456.95 | 457.50 | 0.6 | 0.6 | 0.0 | 0.6 |
| SDDSC092 | 457.50 | 458.30 | 0.8 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 458.30 | 458.90 | 0.6 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 459.90 | 460.50 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 460.50 | 460.80 | 0.3 | 1.5 | 0.1 | 1.6 |

| | | | | | | |
|----------|--------|--------|-----|------|-----|------|
| SDDSC092 | 460.80 | 461.40 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 461.40 | 461.70 | 0.3 | 7.7 | 0.5 | 8.5 |
| SDDSC092 | 462.35 | 462.60 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 462.70 | 463.30 | 0.6 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 463.30 | 463.50 | 0.2 | 1.4 | 0.4 | 1.9 |
| SDDSC092 | 463.50 | 464.50 | 1.0 | 2.1 | 0.5 | 2.8 |
| SDDSC092 | 464.50 | 465.20 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 465.20 | 465.80 | 0.6 | 0.5 | 0.1 | 0.6 |
| SDDSC092 | 466.80 | 467.20 | 0.4 | 16.4 | 0.4 | 17.1 |
| SDDSC092 | 467.20 | 467.75 | 0.6 | 0.6 | 0.1 | 0.7 |
| SDDSC092 | 467.75 | 468.00 | 0.3 | 5.3 | 0.4 | 6.0 |
| SDDSC092 | 468.00 | 468.50 | 0.5 | 10.5 | 0.3 | 11.0 |
| SDDSC092 | 468.50 | 468.80 | 0.3 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 468.80 | 469.00 | 0.2 | 2.5 | 0.7 | 3.6 |
| SDDSC092 | 469.00 | 469.30 | 0.3 | 0.4 | 0.3 | 0.9 |
| SDDSC092 | 469.30 | 469.70 | 0.4 | 0.6 | 0.5 | 1.5 |
| SDDSC092 | 469.70 | 469.90 | 0.2 | 1.6 | 0.7 | 2.7 |
| SDDSC092 | 471.10 | 471.98 | 0.9 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 471.98 | 472.66 | 0.7 | 0.3 | 0.1 | 0.4 |
| SDDSC092 | 472.66 | 473.41 | 0.8 | 0.4 | 0.3 | 0.9 |
| SDDSC092 | 473.41 | 473.90 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 473.90 | 474.16 | 0.3 | 0.6 | 0.0 | 0.7 |
| SDDSC092 | 474.16 | 474.49 | 0.3 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 474.49 | 475.20 | 0.7 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 475.20 | 476.14 | 0.9 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 476.14 | 477.00 | 0.9 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 477.00 | 477.64 | 0.6 | 2.0 | 0.5 | 2.7 |
| SDDSC092 | 477.64 | 478.43 | 0.8 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 478.43 | 479.00 | 0.6 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 479.00 | 479.84 | 0.8 | 10.7 | 0.1 | 10.9 |
| SDDSC092 | 479.84 | 480.05 | 0.2 | 3.9 | 0.3 | 4.3 |
| SDDSC092 | 480.05 | 481.04 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 481.04 | 481.21 | 0.2 | 2.7 | 0.3 | 3.2 |
| SDDSC092 | 481.21 | 481.72 | 0.5 | 0.4 | 0.1 | 0.6 |
| SDDSC092 | 481.72 | 482.46 | 0.7 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 482.46 | 482.69 | 0.2 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 482.69 | 483.34 | 0.7 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 483.34 | 484.31 | 1.0 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 484.31 | 485.00 | 0.7 | 0.8 | 0.4 | 1.3 |
| SDDSC092 | 485.00 | 485.40 | 0.4 | 0.6 | 2.8 | 5.1 |
| SDDSC092 | 485.97 | 486.48 | 0.5 | 0.5 | 0.1 | 0.7 |
| SDDSC092 | 487.52 | 488.45 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 488.45 | 488.66 | 0.2 | 0.4 | 0.3 | 0.9 |

| | | | | | | |
|----------|--------|--------|-----|-----|-----|-----|
| SDDSC092 | 488.66 | 489.00 | 0.3 | 1.1 | 0.1 | 1.3 |
| SDDSC092 | 490.42 | 490.57 | 0.2 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 492.31 | 492.56 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 493.21 | 493.82 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 493.82 | 494.00 | 0.2 | 1.0 | 1.0 | 2.5 |
| SDDSC092 | 494.00 | 494.39 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 494.39 | 494.61 | 0.2 | 0.5 | 0.1 | 0.7 |
| SDDSC092 | 494.61 | 495.37 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 495.37 | 496.26 | 0.9 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 496.26 | 496.64 | 0.4 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 496.64 | 496.80 | 0.2 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 497.75 | 497.94 | 0.2 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 497.94 | 499.06 | 1.1 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 505.13 | 505.33 | 0.2 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 507.14 | 507.58 | 0.4 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 509.33 | 509.77 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 509.77 | 509.93 | 0.2 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 509.93 | 510.23 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 525.91 | 526.08 | 0.2 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 526.74 | 526.92 | 0.2 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 526.92 | 527.15 | 0.2 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 527.83 | 528.57 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 530.29 | 530.58 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 534.04 | 534.40 | 0.4 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 542.00 | 542.91 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 542.91 | 543.17 | 0.3 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 543.17 | 543.91 | 0.7 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 543.91 | 544.92 | 1.0 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 544.92 | 545.21 | 0.3 | 0.2 | 0.4 | 0.9 |
| SDDSC092 | 545.21 | 545.95 | 0.7 | 0.2 | 0.4 | 0.9 |
| SDDSC092 | 545.95 | 546.36 | 0.4 | 0.4 | 0.3 | 0.8 |
| SDDSC092 | 546.36 | 546.65 | 0.3 | 0.2 | 0.4 | 0.8 |
| SDDSC092 | 546.65 | 547.31 | 0.7 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 547.31 | 547.50 | 0.2 | 0.6 | 0.0 | 0.6 |
| SDDSC092 | 547.50 | 547.81 | 0.3 | 0.4 | 0.3 | 0.9 |
| SDDSC092 | 547.81 | 547.95 | 0.1 | 0.6 | 0.4 | 1.1 |
| SDDSC092 | 547.95 | 548.51 | 0.6 | 0.5 | 0.1 | 0.6 |
| SDDSC092 | 548.51 | 548.75 | 0.2 | 0.4 | 2.8 | 4.8 |
| SDDSC092 | 548.75 | 549.11 | 0.4 | 0.4 | 2.9 | 5.0 |
| SDDSC092 | 549.11 | 549.35 | 0.2 | 0.7 | 1.5 | 3.0 |
| SDDSC092 | 549.35 | 549.50 | 0.2 | 2.2 | 2.9 | 6.7 |
| SDDSC092 | 549.50 | 550.18 | 0.7 | 0.5 | 0.8 | 1.8 |
| SDDSC092 | 550.18 | 550.83 | 0.7 | 0.2 | 0.0 | 0.2 |

| | | | | | | |
|----------|--------|--------|-----|------|------|-------|
| SDDSC092 | 550.83 | 552.00 | 1.2 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 554.73 | 555.03 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 555.03 | 555.56 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 556.09 | 556.34 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 556.34 | 557.00 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 557.00 | 558.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 558.00 | 559.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 559.00 | 560.00 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 560.00 | 561.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 561.00 | 561.90 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 561.90 | 562.11 | 0.2 | 0.6 | 0.0 | 0.6 |
| SDDSC092 | 562.11 | 563.00 | 0.9 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 563.00 | 564.00 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 564.00 | 565.00 | 1.0 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 565.91 | 566.13 | 0.2 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 566.13 | 566.47 | 0.3 | 0.8 | 0.0 | 0.8 |
| SDDSC092 | 566.47 | 567.30 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 567.30 | 568.12 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 568.12 | 568.96 | 0.8 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 568.96 | 569.20 | 0.2 | 0.7 | 0.1 | 0.8 |
| SDDSC092 | 569.20 | 569.89 | 0.7 | 1.4 | 0.2 | 1.7 |
| SDDSC092 | 569.89 | 570.21 | 0.3 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 570.21 | 570.40 | 0.2 | 27.2 | 2.9 | 31.8 |
| SDDSC092 | 570.40 | 571.00 | 0.6 | 0.8 | 0.1 | 1.0 |
| SDDSC092 | 571.00 | 572.00 | 1.0 | 0.5 | 0.0 | 0.6 |
| SDDSC092 | 573.00 | 573.21 | 0.2 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 573.21 | 574.18 | 1.0 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 574.18 | 574.28 | 0.1 | 9.0 | 0.6 | 10.0 |
| SDDSC092 | 574.28 | 575.07 | 0.8 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 575.07 | 575.20 | 0.1 | 79.0 | 21.2 | 112.5 |
| SDDSC092 | 575.20 | 575.37 | 0.2 | 22.5 | 2.8 | 26.9 |
| SDDSC092 | 575.37 | 576.00 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 576.00 | 576.28 | 0.3 | 0.4 | 0.3 | 0.9 |
| SDDSC092 | 576.28 | 576.90 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 576.90 | 577.11 | 0.2 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 577.11 | 577.85 | 0.7 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 577.85 | 578.23 | 0.4 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 579.41 | 579.62 | 0.2 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 580.81 | 581.17 | 0.4 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 582.25 | 582.73 | 0.5 | 0.7 | 0.0 | 0.8 |
| SDDSC092 | 583.95 | 584.15 | 0.2 | 1.5 | 4.3 | 8.3 |
| SDDSC092 | 588.29 | 588.64 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 588.64 | 588.86 | 0.2 | 0.9 | 0.0 | 0.9 |

| | | | | | | |
|----------|--------|--------|-----|------|-----|------|
| SDDSC092 | 588.86 | 589.67 | 0.8 | 1.0 | 0.0 | 1.0 |
| SDDSC092 | 590.57 | 590.99 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 591.66 | 592.20 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 595.01 | 596.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 603.09 | 603.64 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 604.60 | 605.00 | 0.4 | 7.0 | 0.3 | 7.6 |
| SDDSC092 | 607.40 | 608.10 | 0.7 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 608.10 | 608.60 | 0.5 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 609.00 | 609.58 | 0.6 | 51.7 | 0.1 | 51.8 |
| SDDSC092 | 609.58 | 610.00 | 0.4 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 614.00 | 615.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 615.00 | 615.50 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 616.70 | 617.40 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 618.00 | 619.00 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 619.00 | 619.80 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 619.80 | 620.70 | 0.9 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 621.20 | 621.65 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 621.65 | 622.20 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 622.20 | 622.80 | 0.6 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 623.60 | 624.10 | 0.5 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 624.10 | 625.00 | 0.9 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 625.00 | 626.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 626.90 | 627.20 | 0.3 | 0.3 | 0.1 | 0.4 |
| SDDSC092 | 628.20 | 628.85 | 0.7 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 628.85 | 629.30 | 0.5 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 629.30 | 630.10 | 0.8 | 0.4 | 0.0 | 0.5 |
| SDDSC092 | 630.10 | 630.90 | 0.8 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 631.50 | 632.00 | 0.5 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 632.00 | 632.80 | 0.8 | 2.9 | 1.0 | 4.5 |
| SDDSC092 | 632.80 | 633.20 | 0.4 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 633.20 | 634.00 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 634.00 | 635.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 638.35 | 639.00 | 0.7 | 0.1 | 0.1 | 0.2 |
| SDDSC092 | 639.00 | 640.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 640.30 | 641.20 | 0.9 | 2.1 | 0.1 | 2.3 |
| SDDSC092 | 641.20 | 642.20 | 1.0 | 1.1 | 0.0 | 1.1 |
| SDDSC092 | 643.20 | 643.80 | 0.6 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 644.50 | 644.90 | 0.4 | 0.1 | 0.1 | 0.2 |
| SDDSC092 | 644.90 | 645.40 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 646.70 | 646.90 | 0.2 | 2.4 | 2.4 | 6.2 |
| SDDSC092 | 646.90 | 647.50 | 0.6 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 647.75 | 648.00 | 0.3 | 0.0 | 0.0 | 0.1 |
| SDDSC092 | 649.80 | 650.50 | 0.7 | 5.0 | 3.2 | 10.1 |

| | | | | | | |
|----------|--------|--------|-----|--------|------|--------|
| SDDSC092 | 651.10 | 651.30 | 0.2 | 0.2 | 0.0 | 0.3 |
| SDDSC092 | 655.10 | 655.30 | 0.2 | 160.0 | 8.7 | 173.8 |
| SDDSC092 | 655.30 | 655.70 | 0.4 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 657.70 | 658.30 | 0.6 | 6.3 | 1.1 | 8.1 |
| SDDSC092 | 658.30 | 659.15 | 0.9 | 3.9 | 0.5 | 4.7 |
| SDDSC092 | 660.00 | 661.00 | 1.0 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 661.00 | 661.18 | 0.2 | 1.0 | 4.6 | 8.2 |
| SDDSC092 | 661.18 | 661.72 | 0.5 | 0.4 | 0.3 | 0.9 |
| SDDSC092 | 661.72 | 662.75 | 1.0 | 0.8 | 0.1 | 0.9 |
| SDDSC092 | 662.75 | 662.97 | 0.2 | 7.3 | 7.5 | 19.1 |
| SDDSC092 | 662.97 | 663.20 | 0.2 | 0.4 | 0.4 | 1.0 |
| SDDSC092 | 663.20 | 663.50 | 0.3 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 663.50 | 664.00 | 0.5 | 0.3 | 0.3 | 0.8 |
| SDDSC092 | 664.00 | 664.40 | 0.4 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 664.66 | 665.40 | 0.7 | 2.6 | 0.4 | 3.1 |
| SDDSC092 | 665.40 | 665.81 | 0.4 | 0.6 | 0.5 | 1.4 |
| SDDSC092 | 665.81 | 666.81 | 1.0 | 0.2 | 0.1 | 0.3 |
| SDDSC092 | 667.52 | 668.00 | 0.5 | 1.0 | 0.1 | 1.1 |
| SDDSC092 | 668.00 | 668.70 | 0.7 | 2.2 | 0.1 | 2.3 |
| SDDSC092 | 668.70 | 668.85 | 0.2 | 12.0 | 0.4 | 12.6 |
| SDDSC092 | 668.85 | 669.25 | 0.4 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 669.25 | 669.75 | 0.5 | 0.8 | 0.4 | 1.5 |
| SDDSC092 | 669.75 | 669.90 | 0.2 | 200.0 | 0.6 | 200.9 |
| SDDSC092 | 669.90 | 670.88 | 1.0 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 670.88 | 671.50 | 0.6 | 1.3 | 0.5 | 2.0 |
| SDDSC092 | 671.50 | 671.84 | 0.3 | 0.7 | 0.1 | 0.9 |
| SDDSC092 | 671.84 | 672.48 | 0.6 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 672.48 | 673.00 | 0.5 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 673.00 | 673.40 | 0.4 | 0.4 | 0.1 | 0.6 |
| SDDSC092 | 674.00 | 675.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 677.00 | 678.00 | 1.0 | 0.4 | 0.1 | 0.5 |
| SDDSC092 | 678.00 | 679.00 | 1.0 | 1.4 | 0.0 | 1.4 |
| SDDSC092 | 679.00 | 680.00 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 680.00 | 681.00 | 1.0 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 681.00 | 681.60 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 681.60 | 682.27 | 0.7 | 2.1 | 0.1 | 2.3 |
| SDDSC092 | 682.27 | 683.07 | 0.8 | 0.1 | 0.0 | 0.2 |
| SDDSC092 | 683.07 | 683.27 | 0.2 | 338.0 | 0.7 | 339.1 |
| SDDSC092 | 683.27 | 683.84 | 0.6 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 683.84 | 684.15 | 0.3 | 72.1 | 2.1 | 75.4 |
| SDDSC092 | 684.15 | 684.45 | 0.3 | 315.0 | 13.2 | 335.9 |
| SDDSC092 | 684.45 | 684.88 | 0.4 | 1610.0 | 2.0 | 1613.2 |
| SDDSC092 | 684.88 | 685.35 | 0.5 | 0.5 | 0.0 | 0.6 |

| | | | | | | |
|----------|--------|--------|-----|-----|-----|-----|
| SDDSC092 | 685.35 | 685.75 | 0.4 | 0.3 | 0.0 | 0.3 |
| SDDSC092 | 685.75 | 686.29 | 0.5 | 0.3 | 0.0 | 0.4 |
| SDDSC092 | 688.15 | 689.00 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 689.51 | 690.00 | 0.5 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 690.00 | 690.75 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 690.75 | 691.30 | 0.6 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 691.30 | 692.07 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 693.05 | 693.55 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 693.55 | 694.38 | 0.8 | 0.0 | 0.1 | 0.1 |
| SDDSC092 | 698.00 | 699.00 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 704.80 | 705.94 | 1.1 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 705.94 | 706.76 | 0.8 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 706.76 | 707.70 | 0.9 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 707.70 | 708.13 | 0.4 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 709.00 | 709.60 | 0.6 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 709.60 | 710.10 | 0.5 | 0.4 | 0.0 | 0.4 |
| SDDSC092 | 710.10 | 710.40 | 0.3 | 0.5 | 0.0 | 0.5 |
| SDDSC092 | 710.40 | 711.20 | 0.8 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 711.20 | 711.90 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 711.90 | 712.35 | 0.5 | 1.2 | 0.0 | 1.2 |
| SDDSC092 | 712.35 | 713.00 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 713.00 | 713.75 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 717.00 | 717.90 | 0.9 | 0.7 | 0.0 | 0.7 |
| SDDSC092 | 717.90 | 718.80 | 0.9 | 1.5 | 0.0 | 1.5 |
| SDDSC092 | 718.80 | 719.80 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 719.80 | 720.80 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 720.80 | 721.80 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 722.80 | 723.80 | 1.0 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 727.85 | 728.60 | 0.8 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 728.60 | 729.05 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 729.05 | 729.55 | 0.5 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 735.45 | 736.10 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 737.10 | 737.80 | 0.7 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 737.80 | 738.10 | 0.3 | 0.1 | 0.0 | 0.1 |
| SDDSC092 | 774.95 | 776.00 | 1.1 | 0.2 | 0.0 | 0.2 |
| SDDSC092 | 776.00 | 777.04 | 1.0 | 0.1 | 0.0 | 0.1 |